



GENTIS BEDROOMS

NEW range

Contents

	Page
Range introduction, lists or versions	52-54
Concept and possible arrangements	55-57
Special combinations	58
Hinge- and folding-door wardrobes	59-61
Design and intermediate units	62-63
Bed system	64-65
Bed accessories	66
Consoles	67
2 and 3 Raster lowboards	68-75
Media accessories for lowboards	76
3 and 4 Raster sideboards	77-79
8 Raster highboard and cabinets	80-81
6 Raster wall unit and wall cabinet	82
Accent units	84-85
Accessories for units	86
Special-sized products and wall composition: see separate chapters at the end of this type list	

The finest design meets natural sensuality

Fine materials and an elegant form convey an ambience or uncongested expansiveness to the room. Urban elements fusion with more rustical wooden components to form an exciting yet relaxed and aesthetic arrangement.

Accents rearranged

Fine lacquered surfaces in a puristic look form an exciting contrast to the natural materials or unspoilt solid wood and soft leather.

A wardrobe or a work of art?

The integrated accent block or highly expressive, 5-layered solid wood not only draws everyone's glances magically, it also serves as an intelligent drawer unit.

Sleeping culture ranging from the subtle to the more expressive

There are several bed variations to choose from – the natural wood accent or the puristic wardrobe can be taken up in the bed unit. The second form is based more on soft leather applications and upholstered bed sides.

Light and illuminating

The freely suspended ancillary units characteristic of GENTIS perfectly match the elegant design form, a lamp in a variable white shade underlines the hovering effect.

Wardrobes

Height reductions at intervals of 1.0 cm without surcharge!

Hinge- and folding-door wardrobes according to the endless assembly principle

- Hinge- and folding-door wardrobes can be combined with one another
- With plain doors, with optional mirror
- With optional top LED lamp (12 V; 2.4 W)
- Design and intermediate units for a more open look
- Drawer frames of the design and intermediate units in standard grey
- Extra-wide panorama units of folding-door wardrobes without centre partition
- Wardrobe interior carcass and wardrobe interior fittings in standard white lacquer version
- Standard interior fittings: 2 fitted shelves, 1 clothes rod
- Functional and high-quality **wardrobe interior fittings** (see separate "Wardrobe interior fittings" chapter)

Beds

- Beds with headboard in wood/lacquer version and upholstered application or with upholstered headboard, bed surround in wood/lacquer version or with upholstered applications; in four widths and three lengths
- Beds optionally in a hovering look
- LED bedside lamps

In combination with the **hülsta** Sleeping System, the beds guarantee highest sleeping comfort. With its high-grade quality spring base frames and mattresses, the **hülsta** Sleeping System provides the perfect prerequisites for relaxing sleep (see separate "**Sleeping systems**" chapter).

Ancillary units

- Console, optionally as wall unit, in one width
- A multitude of low-, side- and highboards, optionally as wall unit, cabinets and wall units in different heights and widths, numerous combinations are possible (also corner units)
- Different types of lamps

Quality features

- Wardrobe doors with handle and high-quality spring hinges
- Lamps VDE tested
- Optically unobtrusive 2.5 mm drilled holes for wardrobes
- Centre partitions and end side-sections of wardrobes with special plinth adjustment
- **hülsta-Push-to-open/hülsta-SoftFlow**: drawers of design units in accent version, intermediate units and ancillary units with **hülsta-Push-to-open** or bottom drawer of design units on hidden bearings incl. auto pull-in feature with brake (**hülsta-SoftFlow**)
- **hülsta-MagicClose**: All wooden hinge-doors with door hinge brake

Lists of versions

Wardrobes

Model no.	Wardrobe carcass and front, doors of design and intermediate units	Price group	Model no.	Drawers of design and intermediate units
648	Pure white lacquer	I	693	Knotted oak
045	White lacquer	I	694	Knotted core walnut
046	Grey lacquer	I	51..	Nappa leather (51..)
862	High-gloss pure white lacquer	II	65..	Saddle leather (65..)
860	High-gloss white lacquer	II		
861	High-gloss grey lacquer	II		

Wardrobe inside carcass in standard white lacquer version

Beds

Model no.	Headboard and bed surround	Price group	Model no.	Upholstered headboard and upholstered applications
648	Pure white lacquer	I	51..	Nappa leather (51..)
045	White lacquer	I	65..	Saddle leather (65..)
046	Grey lacquer	I		
693	Knotted oak	III		
694	Knotted core walnut	III		

Consoles, low-, side- and highboards, (wall-) cabinets, wall shelf

Model no.	Carcass and front	Price group	Model no.	Accent units: carcass and front	Price group	Model no.	Cabinet compartment rear wall
648	Pure white lacquer	I	648	Pure white lacquer	I	648	Pure white lacquer
045	White lacquer	I	045	White lacquer	I	045	White lacquer
046	Grey lacquer	I	046	Grey lacquer	I	046	Grey lacquer
862	High-gloss pure white lacquer *	II	862	High-gloss pure white lacquer *	II	862	High-gloss pure white lacquer *
860	High-gloss white lacquer *	II	860	High-gloss white lacquer *	II	860	High-gloss white lacquer *
861	High-gloss grey lacquer *	II	861	High-gloss grey lacquer *	II	861	High-gloss grey lacquer *
			051	Natural oak	II	051	Natural oak
			053	Core walnut	II	053	Core walnut
			693	Knotted oak	III	693	Knotted oak
			694	Knotted core walnut	III	694	Knotted core walnut
			51..	Nappa leather (51..) **	IV		
			65..	Saddle leather (65..) **	IV		

* The inside carcass of the high-gloss lacquer versions is in a matching matt lacquer colour. In the case of pure white lacquer, the inside carcass is in white lacquer.

** The inside carcass of accent units in leather versions is in a matt grey lacquer version. Leather versions: see below!

Leather collection

Type of material	Material identification
Leather no.	Colour
Leather (51..)	100% Nappa leather, pigmented
5101	beige
5104	anthracite
5105	black
5106	red
5108	white
5109	cream
5110	mocca
5114	grey-brown
5116	kiwi green
5118	chestnut brown
5121	curry
5122	sand
5123	brown-black
5125	grey

Type of material	Material identification
Leather no.	Colour
Saddle leather (65..)	100% Saddle leather, semi-aniline
6501	black
6502	mocca
6503	cognac
6504	natural brown
6505	cream
6506	nougat
6508	sand

Important notes

Glass versions:
Outer glass sides of (wall) cabinets, **glass shelves** behind fronts as well as **bookshelves** and **glass accents** of wall shelf unit of bronzed glass.

Cabinet compartment rear wall and **bookshelf rear wall** of wall shelf unit also possible in all versions (exception: leather versions).

Accent units:
Carcase and front also possible in the versions knotted natural oak, knotted core walnut, Nappa leather and saddle leather. The inside carcase of the accent units in leather version is in matt grey lacquer.

Standard interior fittings:
Fitted wooden shelves are fitted behind doors at intervals of 2 Raster (exception: 12 Raster cabinets).

Wall units:
If units are planned as wall units, a wall bracket must be ordered.

Drawer frames in grey

Combinations of floor and wall units:
If floor and wall units are combined within an arrangement, there must not be any skirting boards in the room near the floor units, otherwise they must be removed.

Max. load:
Maximum load of wooden and glass shelves (up to 70.4 cm width) as well as drawers: 25 kg
Maximum load of wooden and glass shelves (between 70.4 and 105.6 cm width): 15 kg; from 105.6 cm width: 10 kg
Maximum load of cover shelves: 35 kg per metre length for floor units.
Please also note any other data on maximum loads for individual units on the pages inside!

hülsta-Push-to-open:
Drawers and flap units with hülsta Push-to-open. All drawers on hidden roller bearings as fully pull-out units.

Labelling in type list drawings / assembly notes for wall units

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

3
4

Notes on delivery

Notes on delivery:
The majority of the units are delivered standard as **fully connected units (glued)** so that the carcase **cannot be disassembled**. There are however some **exceptions** to this rule:

Some carcasses are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.


Some carcasses are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list.

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.

Wall units in general

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class (C12/15). For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.


Wardrobes



Wardrobes

- Hinge-door wardrobes can be combined with folding-door wardrobes, design and intermediate units
- Front mirrors and lamps against surcharge
- Unit outside widths hinge-door wardrobes: 42, 52, 82, 102 cm (basic units), 40, 50, 80, 100 cm (extension units)
- Unit outside widths folding-door wardrobes: 82, 102, 162, 202 cm (basic units) 80, 100, 160, 200 cm (extension units); extra-wide panorama-units in 160/162 and 200/202 cm width without partition
- Unit outside widths design units: 179/180.6 and 214/215.6 cm
- Unit outside widths intermediate units: 80, 100 cm
- Inside widths hinge-door wardrobes: 38, 48, 78, 98 cm
- Inside widths folding-door wardrobes: 78, 98, 158, 198 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Bed unit




Beds

- Beds with bed surround in wood/lacquer version or with upholstered application
- Beds with headboard in wood/lacquer version and upholstered application or with upholstered headboard
- Bed inside lengths: 200, 210, 220 cm
- Bed inside widths: 140, 160, 180, 200 cm
- Beds optionally in a hovering look

Consoles

- Consoles with rounded end at both sides
- Floor console with 2 drawers in one width
- Wall console with 1 drawer in one width
- Optionally with functional frame and lamps



Beds



- Beds with bed surround in wood/lacquer version or with upholstered application
- Beds with headboard in wood/lacquer version and upholstered application or with upholstered headboard
- Bed inside lengths: 200, 210, 220 cm
- Bed inside widths: 140, 160, 180, 200 cm
- Beds optionally in a hovering look

Consoles


- Consoles with rounded end at both sides
- Floor console with 2 drawers in one width
- Wall console with 1 drawer in one width
- Optionally with functional frame and lamps

Concept and possible arrangements


Unit as floor unit, with wall bracket for wall assembly or on metal substructure



Unit as floor unit
incl. 1.8 cm high plinth adjusters




Unit with wall bracket for wall assembly
If the unit is planned as a wall unit, a wall bracket must be ordered. In this case the plinth adjusters are omitted.



Unit on metal substructure
The units can be planned optionally on a metal substructure (19.4 cm high). In this case the plinth adjusters are omitted.


Notes on accent units, (wall) cabinets and wall shelf unit




Accent unit

Notes on accent units:
Carcase and front also in the versions knotted oak, knotted core walnut, Nappa leather and saddle leather possible. The inside carcass of accent units in leather version is in matt grey lacquer.
If accent units are required in a leather version, the unit width increases by 1.6 cm.

Accent




Notes on wall shelf unit:
Shelves and partitions of bronzed glass; shelf rear wall of wall unit possible in all versions (exception: leather versions).



Accent

Notes on (wall) cabinets:
Outer glass sides of cabinets and glass shelves behind fronts of bronzed glass; cabinet compartment rear wall possible in all versions (exception: leather versions).

Functional frame




Functional frame

Functional frame for floor units of wood resp. for wall assembly of metal


The functional frame enables the following functions:

- distance frame for a hovering look
- inclusion of LED lamp
- hiding cables




Unit with functional frame for floor units

The units can be planned optionally with a functional frame for floor units.



Unit with functional frame for wall assembly

If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted.



Unit with functional frame for floor units on metal substructure

The units with a functional frame can be planned optionally on a metal substructure (19.4 cm high). In this case the plinth adjusters are omitted.

LED lamps for functional frames

LED lamps for functional frames


The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit possible (against surcharge).

LED lamp of the functional frame for floor units:


3-sided lighting

LED lamp of the functional frame for wall assembly:

4-sided lighting



3-sided lighting of functional frame for floor units















4-sided lighting of functional frame for wall assembly

Special combinations

Please also note the mattresses and base frames in the separate “Sleeping systems” chapter!

Lists of versions: see page 53

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.				ADVANTAGE!		
Special combinations consisting of bed unit (bed with bed surround in wood/lacquer version and two consoles) and a hinge- or folding-door wardrobe .				Special-sized products for special combinations are possible! Pricing: recommended retail price of the special combination + 15% plus the recommended retail prices of all the required special-sized products (see here the „Special-sized products“ chapter)!		
The price of an entire special combination (bed unit and wardrobe) can be found in the boxes shaded grey!						
Important: choose a bed with bed surround in wood/lacquer version (all bed sizes possible – please state type no.; see page 64), two consoles (all console types are possible – please state type no.; see page 67) as well as one of the wardrobes listed below.				or 		
		Bed unit with wall consoles		Bed unit with floor consoles		
		Price of an entire special combination (bed unit and wardrobe)		Surcharge for wardrobe lamps		
		with hinge-doors		with folding-doors		
4-door hinge- or folding-door wardrobe, 202 cm wide  		Price gr. I II	A8406	A8407	For this wardrobe combination we recommend 2 top LED lamps.	
					2x	395
					2x	
5-door hinge- or folding-door wardrobe, 252 cm wide   (centre door with right hinge)		Price gr. I II	A8416	A8417	Notes on the energy class: see page 59!	
6-door hinge- or folding-door wardrobe, 302 cm wide  		Price gr. I II	A8436	A8437	For this wardrobe combination we recommend 3 top LED lamps.	
					3x	395
					3x	
6-door hinge- or folding-door wardrobe, 302 cm wide  		Price gr. I II	A8426	A8427		
6-door hinge- or folding-door wardrobe, 302 cm wide   (Totale width: 314/315.6 cm incl. protrusion)		as illustr. v. versa Price gr. I II	A8446 A8456	A8447 A8457		

Additional fittings for special combinations / surcharges

Bed in a hovering look The special combination is delivered standard with a bed on legs. It is optionally available with a bed in a hovering look (without surcharge). Please state clearly in the order!	Surcharge for upholstered headboard The special combination is delivered standard with a bed with headboard in wood/lacquer version. It is optionally available with a bed with an upholstered headboard (against surcharge). Please state clearly in the order!	Surcharge for bed surround with upholstered application The special combination is delivered standard with a bed with bed surround in wood/lacquer version. It is optionally available with a bed with bed surround with upholstered application (against surcharge). Please state clearly in the order!
3002 without surcharge	3003	3004


Notes on planning hinge- and folding-door wardrobes according to the endless assembly principle

Hinge- and folding-door wardrobes can be planned endlessly and combined with one another. Due to the various element widths one can create many total wardrobe widths. In this way the available floor space can be exploited to the full. For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination. In the case of single-door hinge-door units as well as folding-door wardrobes one can choose between left- and right-hand hinges. The graphics shown below give you an excerpt from our wardrobe assortment. We suggest using design and intermediate units for creating an alternative look.

Standard interior fittings per unit: 2 fitted shelves, 1 clothes rod.
All interior surfaces are in white lacquer.


Examples of wardrobes

Hinge-door wardrobe




- Hinge-door wardrobes can be combined with folding-door wardrobes, design and intermediate units
- Front mirrors and lamps against surcharge
- Unit outside widths: 42, 52, 82, 102 cm (basic units)
40, 50, 80, 100 cm (extension units)
- Unit inside widths: 38, 48, 78, 98 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Folding-door wardrobe



- Folding-door wardrobes can be combined with hinge-door wardrobes, design and intermediate units
- Extra-wide panorama units in 160/162 and 200/202 cm width, without partition
- Front mirrors and lamps against surcharge
- Unit outside widths: 82, 102, 162, 202 cm (basic units)
80, 100, 160, 200 cm (extension units)
- Unit inside widths: 78, 98, 158, 198 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Hinge-door wardrobe with integrated intermediate unit



- Hinge-door wardrobes can be combined with folding-door wardrobes, design and intermediate units
- Design and intermediate units for optical alternation
- Front mirrors and lamps against surcharge
- Unit outside widths: 42, 52, 82, 102 cm (basic units)
40, 50, 80, 100 cm (extension units)
179/180.6 and 214/215.6 cm (design units)
80, 100 cm (intermediate units)
- Unit inside widths: 38, 48, 78, 98 cm
- Outside depth: 61.4 cm
- Inside depth: 56 cm
- Door opening angle: approx. 94°

Dims.

	Wardrobe height	Wardrobe height with top LED lamp
Heights incl. plinth	229.6 cm	234.6 cm
	Height reductions at intervals of 1.0 cm without surcharge	
Depths:	61.4 cm	74.2 cm
Widths:	see pages 60-63	

Lamps

All hinge- and folding-door wardrobes are available with optional top LED lamps. The top LED lamp (12 V, 2.4 W) is fitted above each unit – 1-door or 2-door (exception panorama unit: two top LED lamps). If required, a top LED lamp can be fitted centrally above each door. Please include a sketch in all cases.


Switching is done by an external footswitch. A remote control unit is also available as an alternative, which is charged extra. The remote control unit incorporates one transmitter and one receiver which operate all the LED lamps. The footswitch is omitted when the remote control unit is employed.

Remote control unit with changing colours
(transmitter + receiver) type

2019

Top LED lamp

Surcharge for each additional lamp type














395













This luminaire contains built-in LED lamps of the energy classes A++ to A.
The lamps cannot be changed in the luminaire. 12 V; 2.4 W

Hinge-door wardrobes

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

Lists of versions: see page 53



Hinge-door wardrobes		Doors	Surcharge for top LED lamp	Surcharge for mirror
<p>Height: 229.6 cm (height with top LED lamp: 234.6 cm); height reductions at intervals of 1.0 cm without surcharge.</p> <p>Width: see table</p> <p>Depth: 61.4 cm (depth with top LED lamp: 74.2 cm)</p> <p>Interior fittings per unit: 2 fitted shelves, 1 clothes rod; interior fittings in standard white lacquer.</p> <p>Doors with high-gloss chrome handle slat.</p>			<p>per unit: 1 lamp</p>  <p>Information on the energy class and further information on lamps: see page 59!</p>	<p>Each wardrobe door can be fitted with an optional mirror (vertical facet), which is charged extra.</p> 
<p>Basic units with 2 outer side sections (each 2 cm thick)</p> <p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination.</p>		<p>Please also note the functional and high-quality wardrobe interior fittings as well as the special articles and possible special-sized products in the separate chapters on „Wardrobe interior fittings“ and „Special products“.</p>		
	Single-door unit, left or right, 42 cm wide	Price gr. I II	A02011 L A02012 R	<p>Please mark exactly in the front sketch or state in the order (from left), which hinge-doors are to be fitted with a mirror.</p> <p>Surcharge for mirror per hinge-door:</p>
	Single-door unit, left or right, 52 cm wide	Price gr. I II	A2011 L A2012 R	
	Twin-door unit, 82 cm wide	Price gr. I II	A0202	
	Twin-door unit, 102 cm wide	Price gr. I II	A202	
Extension units with 1 partition (2 cm thick)				
	Single-door unit, left or right, 40 cm wide	Price gr. I II	A00011 L A00012 R	
	Single-door unit, left or right, 50 cm wide	Price gr. I II	A0011 L A0012 R	
	Twin-door unit, 80 cm wide	Price gr. I II	A0002	
	Twin-door unit, 100 cm wide	Price gr. I II	A002	
			395	

Folding-door wardrobes		Doors	Surcharge for Top LED lamp	Surcharge for mirror
<p>Height: 229.6 cm (height with top LED lamp: 234.6 cm); height reductions at intervals of 1.0 cm without surcharge</p> <p>Width: see table</p> <p>Depth: 61.4 cm (depth with top LED lamp: 74.2 cm)</p> <p>Interior fittings per unit: 2 fitted shelves, 1 clothes rod; interior fittings in standard white lacquer.</p> <p>Doors with high-gloss chrome handle slat.</p>			<p>per unit: 1 lamp</p>  <p>Information on the energy class and further information on lamps: see page 59!</p>	<p>Each wardrobe door can be fitted with an optional mirror (vertical facet), which is charged extra.</p> 
<p>Basic units with 2 outer side sections (each 2 cm thick)</p> <p>For each wardrobe combination, the first element on the left is considered to be the basic unit, incorporating both outer side-sections. One can only include one basic unit in each combination. When adding on extension units, the right-hand side-section of the basic unit is employed as the end side-section of the complete combination.</p>		<p>Please also note the functional and high-quality wardrobe interior fittings as well as the special articles and possible special-sized products in the separate chapters on „Wardrobe interior fittings“ and „Special products“.</p>		
 <p>L</p> <p>Twin-door unit, left or right, 82 cm wide</p>	Price gr. I II	A2221 L A2222 R	395	<p>Please mark exactly in the front sketch or state in the order (from left), which folding-door wings are to be fitted with a mirror.</p> <p>Surcharge for mirror per folding-door wing:</p>
 <p>L</p> <p>Twin-door unit, left or right, 102 cm wide</p>	Price gr. I II	A2321 L A2322 R		
 <p>Panorama unit 4-door, 162 cm wide - without partition -</p>	Price gr. I II	A2420	For this wardrobe combination we recommend 2 top LED lamps.	
 <p>Panorama unit 4-door, 202 cm wide - without partition -</p>	Price gr. I II	A2520	2x 395	
 <p>Extension units with 1 partition (2 cm thick)</p>			2x	
 <p>R</p> <p>Twin-door unit, left or right, 80 cm wide</p>	Price gr. I II	A0221 L A0222 R	395	
 <p>R</p> <p>Twin-door unit, left or right, 100 cm wide</p>	Price gr. I II	A0321 L A0322 R		
 <p>Panorama-element 4-door, 160 cm wide - without partition -</p>	Price gr. I II	A0420	For this wardrobe combination we recommend 2 top LED lamps.	
 <p>Panorama-element 4-door, 200 cm wide - without partition -</p>	Price gr. I II	A0520	2x 395	
			2x	

Design units

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!





Lists of versions: see page 53

Design units		Doors		Surcharge for top LED lamp	Lamps for design unit (above the accent drawers)
<p>Height: 229.6 cm (height with top LED lamp: 234.6 cm); height reductions (possible to a total height of 201 cm) at intervals of 1.0 cm without surcharge.</p> <p>Width: see table (width reductions are not possible)</p> <p>Depth: 61.4 cm (depth with top LED lamp: 74.2 cm; depth reductions are not possible)</p> <p>Total depth: 74.6 cm incl. protrusion; with drawers in leather version: 76.2 cm incl. protrusion</p> <p>Design units are not possible as stand alone units.</p> <p>Interior fittings per unit: see below; interior fittings in standard white lacquer.</p> <p>Doors with high-gloss chrome handle slat.</p>				<p>per unit: 1 lamp</p>  <p>Information on the energy class and further information on lamps: see page 59!</p>	<p>This luminaire contains built-in LED lamps of the energy classes A+++ to A. The lamps cannot be changed in the luminaire. 12 V; 6.5-8.0 W</p>
Design basic units with 2 outer side sections (each 2 cm thick)		with hinged doors	with folding doors		
<p>Design basic unit</p> <p>Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods</p> <p>Middle: 4 drawers in accent version with hülsta-Push-to-open</p> <p>Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow</p> <p>162 cm wide; total width: 179 cm incl. protrusion; with drawers in leather version: 180.6 cm incl. protrusion</p>		A2701	A2711	<p>For this wardrobe combination we recommend 2 top LED lamps.</p> <p>2x 395</p> <p>2x</p>	<p>6.5 W</p> <p>2010</p>
<p>Design basic unit</p> <p>Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods</p> <p>Middle: 4 drawers in accent version with hülsta-Push-to-open</p> <p>Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow</p> <p>202 cm wide; total width: 214 cm incl. protrusion; with drawers in leather version: 215.6 cm incl. protrusion</p>		A2801	A2811		<p>8.0 W</p> <p>2020</p>
Design extension unit with 1 partition (2 cm thick)					
<p>Design extension unit</p> <p>Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods</p> <p>Middle: 4 drawers in accent version with hülsta-Push-to-open</p> <p>Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow</p> <p>160 cm wide; total width: 179 cm incl. protrusion; with drawers in leather version: 180.6 cm incl. protrusion</p>		A0702	A0712	<p>For this wardrobe combination we recommend 2 top LED lamps.</p> <p>2x 395</p> <p>2x</p>	<p>6.5 W</p> <p>2010</p>
<p>Design extension unit</p> <p>Top: 4 hinge- or folding-doors; interior fittings: 4 fitted shelves, 2 clothes rods</p> <p>Middle: 4 drawers in accent version with hülsta-Push-to-open</p> <p>Bottom: 1 drawer with handle, split drawer frame and hülsta-SoftFlow</p> <p>200 cm wide; total width: 214 cm incl. protrusion; with drawers in leather version: 215.6 cm incl. protrusion</p>		A0802	A0812		<p>8.0 W</p> <p>2020</p>

Intermediate units

For each project please remember to leave a 2.0 cm gap to the ceiling and at the side for assembly!

GENTIS

Intermediate units		Doors	Surcharge for top LED lamp
<p>Height: 229.6 cm (height with top LED lamp: 234.6 cm); height reductions (possible to a total height of 201 cm) at intervals of 1.0 cm without surcharge.</p> <p>Width: see table (width reductions are not possible)</p> <p>Depth: 61.4 cm (depth with top LED lamp: 74.2 cm; depth reductions are not possible) Total depth: 67.1 cm incl. protrusion</p> <p>Interior fittings per unit: see below; interior fittings in standard white lacquer.</p> <p>Doors with high-gloss chrome handle slat.</p>			<p>per unit: 1 lamp</p>  <p>Information on the energy class and further information on lamps: see page 59!</p>
Intermediate units		with hinged doors	
 <p>80 cm wide</p>	<p>Intermediate unit</p> <p>Top: 2 hinge-doors with 2 fitted shelves; inside width: 78 cm; inside depth: 56.5 cm</p> <p>Bottom: 3 drawers in accent version with hülsta-Push-to-open; inside depth: 48.5 cm</p> <p>Price gr. I II</p>	A0900	395
 <p>100 cm wide</p>	<p>Intermediate unit</p> <p>Top: 2 hinge-doors with 2 fitted shelves; inside width: 98 cm; inside depth: 56.5 cm</p> <p>Bottom: 3 drawers in accent version with hülsta-Push-to-open; inside depth: 48.5 cm</p> <p>Price gr. I II</p>	A0910	

Interior TV unit fittings for intermediate units

Please pay attention to the requirements on free space (heat build-up) stated by electrical manufacturers!

Interior TV unit fitting A for intermediate units		Surcharge for interior TV unit fitting A
<p>TV compartment including cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0) cm wide, 35.5 cm deep; max. load: 60 kg); 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0) cm wide, 47.0 cm deep)</p> <p>Please note:</p> <ul style="list-style-type: none"> When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works. The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted. Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit! 		<p>for 80 cm wide intermediate unit</p> <p>79601</p>
<p>Interior TV unit fitting B for intermediate units</p> <p>TV compartment including cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0) cm wide, 35.5 cm deep; max. load: 60 kg) and with flat screen support; 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0) cm wide, 47.0 cm deep).</p> <p>The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"; please observe the usable dims. of the TV compartment; see above); max. load: 45 kg.</p> <p>Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm, max.: 600 x 400 mm</p> <p>Please note:</p> <ul style="list-style-type: none"> When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works. The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted. Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit! 		<p>for 100 cm wide intermediate unit</p> <p>79611</p>
<p>Interior TV unit fitting B for intermediate units</p> <p>TV compartment including cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0) cm wide, 35.5 cm deep; max. load: 60 kg) and with flat screen support; 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0) cm wide, 47.0 cm deep).</p> <p>The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"; please observe the usable dims. of the TV compartment; see above); max. load: 45 kg.</p> <p>Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm, max.: 600 x 400 mm</p> <p>Please note:</p> <ul style="list-style-type: none"> When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works. The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted. Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit! 		<p>for 80 cm wide intermediate unit</p> <p>79602</p>
<p>Interior TV unit fitting B for intermediate units</p> <p>TV compartment including cable aperture in TV panel (usable inside dims.: 68.1 cm high, 78.0 (or 98.0) cm wide, 35.5 cm deep; max. load: 60 kg) and with flat screen support; 2 open compartments below for electronic equipment (usable inside dims. per compartment: 10.0 cm high, 38.0 (or 48.0) cm wide, 47.0 cm deep).</p> <p>The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"; please observe the usable dims. of the TV compartment; see above); max. load: 45 kg.</p> <p>Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm, max.: 600 x 400 mm</p> <p>Please note:</p> <ul style="list-style-type: none"> When interior TV unit fittings are included, the doors of the intermediate units are fitted with 165° hinges ex-works. The 2 fitted shelves, which are fitted standard in the intermediate unit behind doors, are omitted and the price has already been deducted. Because of the 165° hinges on the intermediate unit including the interior TV unit fittings, the door hinges of any 1-door wardrobe units included which are situated directly next to the intermediate unit must be fitted on the side next to this intermediate unit! 		<p>for 100 cm wide intermediate unit</p> <p>79612</p>

Lists of versions: see page 53


64


Beds with bed surround with upholstered application

Bed accessories: see next page!

Please also note the mattresses and base frames in the separate “Sleeping systems” chapter!




GENTIS

<p>Beds with headboard in wood/lacquer version and upholstered application and bed surround with upholstered application. Upholstered applications optionally in Nappa leather or saddle leather, please state all the versions clearly in the order!</p> <p>Beds incl. support slats for base frames and mattresses</p> <ul style="list-style-type: none">• Adjustable in height by 3.2 cm downwards and upwards• Usable bed inside height (see here the information in the separate “Special-sized products“ chapter): max. 18.0 cm <p>Beds are not available in high-gloss lacquer versions!</p> <p>Bed in a hovering look The bed is also available in a hovering look (without surcharge). See here page 66!</p>  <p>shaded dark grey = upholstered applications</p>	Inside dims.	Outside dims.	Type no.	Price group I	Price group III
	140x200 160x200 180x200 200x200	156x219 176x219 196x219 216x219	425 426 427 428		
	140x210 160x210 180x210 200x210	156x229 176x229 196x229 216x229	435 436 437 438		
	140x220 160x220 180x220 200x220	156x239 176x239 196x239 216x239	445 446 447 448		

<p>Beds with upholstered headboard and bed surround with upholstered application. Upholstered headboard and applications optionally in Nappa leather or saddle leather, please state all the versions clearly in the order!</p> <p>Beds incl. support slats for base frames and mattresses</p> <ul style="list-style-type: none">• Adjustable in height by 3.2 cm downwards and upwards• Usable bed inside height (see here the information in the separate “Special-sized products“ chapter): max. 18.0 cm <p>Beds are not available in high-gloss lacquer versions!</p> <p>Bed in a hovering look The bed is also available in a hovering look (without surcharge). See here page 66!</p>  <p>shaded dark grey = upholstered headboard and applications</p>	Inside dims.	Outside dims.	Type no.	Price group I	Price group III
	140x200 160x200 180x200 200x200	156x219 176x219 196x219 216x219	4254 4264 4274 4284		
	140x210 160x210 180x210 200x210	156x229 176x229 196x229 216x229	4354 4364 4374 4384		
	140x220 160x220 180x220 200x220	156x239 176x239 196x239 216x239	4454 4464 4474 4484		

Bed accessories







Lists of versions: see page 53

<p>Bed in a hovering look The bed is delivered standard on high-gloss chrome legs. It is optionally available in a hovering look (without surcharge).</p> <p>Please state clearly in the order!</p>	<p>Bed on legs (standard)</p> 	<p>Bed in a hovering look</p>  <div><p>Bed in a hovering look (without surcharge)</p><p>3002</p></div>
<p>LED bedside lamp (pair) with motion sensor for switching on and off (no time interval)</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V, 1.8 W</p>		<div><p>LED bedside lamp</p><p>894</p></div>

Consoles













with rounded end at both sides









GENTIS

<p>Floor console with rounded end at both sides 40.2 cm high (42.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep</p> <p>Wall console with rounded end at both sides 23.5 cm high 45.0 cm deep</p> <p>Wall units or wall assembly: Please see here the information on page 54.</p>		Floor console	Wall console
		 <p>64.4</p> <p>64.4 cm wide</p> <p>2 drawers</p> <p>4</p>	 <p>64.4</p> <p>64.4 cm wide</p> <p>1 drawer</p> <p>4</p>
		5023	5002
	Price gr. I II		
<p>Functional frame for floor units The units can be planned optionally with a functional frame for floor units.</p> <p>Functional frame for wall assembly If you plan a functional frame for wall assembly for the consoles, you do not require an extra wall bracket.</p> <p>Max. load: 10 kg</p> <p>Please note the further information on functional frames on page 57.</p>			
		Functional frame for floor units	Functional frame for wall assembly
		242	143
<p>Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible.</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</p>		<p>9.0 W</p> 	<p>7.0 W</p> 
		244	144

2 Raster lowboards with rounded end at one side
















Lists of versions: see page 53











2 Raster lowboards with rounded end at one side 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre or rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on page 54	2 Raster lowboards with rounded end at one side					
	 52.8 70.4 cm wide		 70.4 88.0 cm wide		 105.6 123.2 cm wide	
	1 drawer	1 flap (flap hinge at bottom)	1 drawer	1 flap (flap hinge at bottom)	1 drawer	1 flap (flap hinge at bottom)
	as illustr. v. versa Price gr. I II	27111 27112	27181 27182	28111 28112	28181 28182	212111 212112
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg						
	255		275		2105	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 57.						
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
	252	253	272	273	2102	2103
Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	8.0 W 12.0 W 		9.5 W 15.5 W 		12.5 W 21.0 W 	
	254		274		2104	
Metal substructure 19.4 cm high; high-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.						
	251		271		2101	

2 Raster lowboards with rounded end at one side					
		 140.8		 176.0	
		158.4 cm wide		193.6 cm wide	
		1 drawer with split drawer frame	1 flap with 1 partition (flap hinge at bottom)	1 drawer with split drawer frame	1 flap with 1 partition (flap hinge at bottom)
		215111 215112	215181 215182	219111 219112	219181 219182
Price gr. I II					
		2145		2175	
					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		2142	2143	2172	2173
		14.5 W	24.0 W	16.0 W	27.0 W
					
		2144		2174	
					
		2141		2171	

3 Raster lowboards with rounded end at one side







Lists of versions: see page 53

3 Raster lowboards with rounded end at one side 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre or rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on page 54	3 Raster lowboards with rounded end at one side					
	 52.8 70.4 cm wide		 70.4 88.0 cm wide		 105.6 123.2 cm wide	
	Top: 1 drawer Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap (flap hinge at bottom)	Top: 1 drawer Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap (flap hinge at bottom)	Top: 1 drawer Bottom: 1 drawer	Top: 1 drawer Bottom: 1 flap (flap hinge at bottom)
	as illustr. v. versa Price gr. I II	37111 37112	37181 37182	38111 38112	38181 38182	31211 312112 312181 312182
	 52.8 70.4 cm wide		 70.4 88.0 cm wide		 105.6 123.2 cm wide	
	Top: 1 drawer Bottom: 1 drawer	Top: 1 flap (flap hinge at bottom) Bottom: 1 drawer	Top: 1 drawer Bottom: 1 drawer	Top: 1 flap (flap hinge at bottom) Bottom: 1 drawer	Top: 1 drawer Bottom: 1 drawer	Top: 1 flap (flap hinge at bottom) Bottom: 1 drawer
	as illustr. v. versa Price gr. I II	37211 37212	37281 37282	38211 38212	38281 38282	312211 312212 312281 312282
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg						
	255		275		2105	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 57.						
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
	352	353	372	373	3102	3103
Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	11.0 W 15.5 W  354		12.5 W 18.0 W  374		15.0 W 23.5 W  3104	
Metal substructure 19.4 cm high; high-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.	 251		 271		 2101	

		3 Raster lowboards with rounded end at one side			
		 140.8 158.4 cm wide		 176.0 193.6 cm wide	
		Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition (flap hinge at bottom)	Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition (flap hinge at bottom)
		315111 315112	315181 315182	319111 319112	319181 319182
Price gr.	I II				
		 140.8 158.4 cm wide		 176.0 193.6 cm wide	
		Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 flap with 1 partition (flap hinge at bottom) Bottom: 1 drawer with split drawer frame	Top: 1 drawer with split drawer frame Bottom: 1 drawer with split drawer frame	Top: 1 flap with 1 partition (flap hinge at bottom) Bottom: 1 drawer with split drawer frame
		315211 315212	315281 315282	319211 319212	319281 319282
Price gr.	I II				
		2145		2175	
					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		3142	3143	3172	3173
		16.0 W	26.5 W	18.5 W	30.0 W
		 3144		 3174	
		 2141		 2171	









2 and 3 Raster corner units

Lists of versions: see page 53

<p>2 and 3 Raster corner units 36.2 or 53.8 cm high (38.0 or 55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep</p> <p>Wall units or wall assembly: Please see here the information on page 54</p> <p>Corner shelf incl. vertical panel If 2 and 3 Raster GENTIS units are fitted round a corner, it is possible to fit corner shelves incl. vertical panels (non-accessible corner). Only units of the same height can be fitted round the corner.</p>		2 Raster corner units	3 Raster corner units
			
		56.2 x 56.2 cm wide Corner shelf incl. vertical panel	56.2 x 56.2 cm wide Corner shelf incl. vertical panel
	Price gr. I II	266	366
<p>Functional frame for corners The units can be planned optionally with a functional frame for floor units.</p> <p>Functional frame for wall assembly If you plan a functional frame for wall assembly for the 2 and 3 Raster corner units, you do not require an extra wall bracket.</p> <p>Max. load: 40 kg</p> <p>Please note the further information on functional frames on page 57.</p>			
		Functional frame for floor units and wall assembly	Functional frame for floor units and wall assembly
		262	362
<p>Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible.</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</p>		26.0 W 	30.0 W 
		264	364









2 Raster lowboards with rounded end at both sides

GENTIS

<div> 2 Raster lowboards with rounded end at both sides 36.2 cm high (38.0 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep </div> <div> incl. cable aperture at centre or rear wall behind flap per compartment </div> <div> Wall units or wall assembly: Please see here the information on page 54 </div>		2 Raster lowboards with rounded end at both sides			
		<div>  4 </div>		<div>  4 </div>	
		176.0 cm wide		211.2 cm wide	
		1 drawer with split drawer frame	1 flap with 1 partition (flap hinge at bottom)	1 drawer with split drawer frame	1 flap with 1 partition (flap hinge at bottom)
	Price gr. I II	21721	21728	22121	22128
<div> Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg </div>					
		2145		2175	
<div> Functional frame for floor units The units can be planned optionally with a functional frame for floor units. </div> <div> Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 57. </div>					
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		2142	2143	2172	2173
<div> Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V </div>		14.5 W	24.0 W	16.0 W	27.0 W
					
		2144		2174	
<div> Metal substructure 19.4 cm high; high-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted. </div>					
		2141		2171	

3 Raster lowboards with rounded end at both sides

Lists of versions: see page 53

3 Raster lowboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep incl. cable aperture at centre or rear wall behind flap per compartment Wall units or wall assembly: Please see here the information on page 54	3 Raster lowboards with rounded end at both sides			
	 140.8		 176.0	
	176.0 cm wide		211.2 cm wide	
	2 drawers with split drawer frames	Top: 1 flap with 1 partition (flap hinge at bottom) Bottom: 1 drawer with split drawer frame	2 drawers with split drawer frames	Top: 1 flap with 1 partition (flap hinge at bottom) Bottom: 1 drawer with split drawer frame
	Price gr. I II	31711	31718	32111
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg				
	2145		2175	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 57.				
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
	3142	3143	3172	3173
Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	16.0 W 26.5 W  3144		18.5 W 30.0 W  3174	
Metal substructure 19.4 cm high; high-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.	 2141		 2171	













Notes on delivery
Please see here the
information on page 54!

1
2



Assembly notes for wall units:
Please be sure to note here the
information and notes in the
"Wall composition" chapter!

4
6

GENTIS

3 Raster lowboards with rounded end at both sides										
		 <p>140.8 70.4</p> <p>1 6</p>			 <p>140.8 105.6</p> <p>1 6</p>			 <p>176.0 105.6</p> <p>1 6</p>		
		246.4 cm wide			281.6 cm wide			316.8 cm wide		
		4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition; flap hinge at bottom) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition (flap hinge at bottom), 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition; flap hinge at bottom) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition (flap hinge at bottom), 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)	4 drawers (wide drawers with split drawer frames)	Top: 2 flaps (wide flap with 1 partition; flap hinge at bottom) Bottom: 2 drawers (wide drawer with split drawer frame)	Top: 1 flap with 1 partition (flap hinge at bottom), 1 drawer Bottom: 2 drawers (wide drawer with split drawer frame)
as illustr. v. versa	Price gr. I II	324111 324112	324181 324182	324171 324172	328111 328112	328181 328182	328171 328172	331111 331112	331181 331182	331171 331172
		2215			2245			2285		
										
		Functional frame for floor units	Functional frame for wall assembly		Functional frame for floor units	Functional frame for wall assembly		Functional frame for floor units	Functional frame for wall assembly	
		3212	3213		3242	3243		3282	3283	
		 <p>21.0 W 34.0 W</p>			 <p>13.5 W 47.5 W</p>			 <p>32.5 W 50.5 W</p>		
		3214			3244			3284		
										
		2211			2241			2281		






Multiple socket

<p>Multiple socket Fitting of multiple socket in lowboards in front of rear wall optionally left (L) or right (R) in the compartment behind flap, fitting of switch in wooden cover shelf, optionally left or right (see sketch). Please state the required position clearly in the order! 7.4 cm high, 44.6 cm long, 5.7 cm deep</p>  	<p>Multiple socket with on/off function continuous current all 6 sockets</p>
	<p>291 L 292 R</p>

IR repeater set













<p>IR repeater set Infrared signal transmission set for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:</p> <ul style="list-style-type: none">• One set must be used for each compartment. 2 transmitters can also be installed for large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.• The transmitter must be placed in the direct vicinity of the receiver eye of the media unit.• Transmissible IR frequency band 20 - 60 kHz• Up to 3 transmitters can be combined with one receiver <p>It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.</p> <p>The IR repeater set consists of:</p> <ul style="list-style-type: none">• 1 receiver eye (Ø 3.0 cm) incl. standing bracket• 1 electrical transmitter• 1 plug EVG 12 V• Cable clips <p>Please note the details stated in the operating instructions!</p>	
<p>IR repeater set 1 receiver eye and 1 transmitter incl. standing bracket</p>	
<p>2001</p>	
<p>Extra transmitter</p>	
<p>2003</p>	

Cable apertures

	<p>Cable aperture K1 silver-coloured; Ø 8.0 cm; It is possible to fit a cable aperture in the cover shelf of the lowboard. The cable aperture can be made in the rear section of the cover shelf. Positioned at centre of compartment, distance from centre of hole to rear rim of unit: 10.0 cm</p>	<p>K1</p>
	<p>Cable aperture K2 silver-coloured; Ø 8.0 cm; It is possible to fit a cable aperture in the rear wall of the lowboard. Positioned at centre of compartment.</p>	<p>K2</p>
	<p>Cable aperture K7 silver-coloured; 7.0 x 12.0 cm; It is possible to fit a cable aperture in the cover shelf of the lowboard. Positioned in centre of compartment, flush with rear rim of unit.</p>	<p>K7</p>
	<p>Cable aperture K8 silver-coloured; 12.8 x 3.2 cm; It is possible to fit a cable aperture in the cover shelf of the lowboard. The cable aperture is possible at the rear rim of the cover shelf. Positioned at centre of compartment.</p>	<p>K8</p>
	<p>Cable aperture K20 silver-coloured; Ø 8.0 cm; It is possible to fit a cable aperture in the partitions of the lowboards.</p>	<p>K20</p>













3 Raster sideboards with rounded end at both sides

GENTIS

3 Raster sideboards with rounded end at both sides 53.8 cm high (55.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Wall units or wall assembly: Please see here the information on page 54		3 Raster sideboards with rounded end at both sides					
		 140.8 176.0 cm wide		 176.0 211.2 cm wide		 105.6 105.6 246.4 cm wide	
		2 drawers with split drawer frames Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition (flap hinge at bottom)		2 drawers with split drawer frames Top: 1 drawer with split drawer frame Bottom: 1 flap with 1 partition (flap hinge at bottom)		4 drawers Top: 2 drawers Bottom: 2 flaps (flap hinge at bottom)	Top: 2 drawers Bottom: 1 drawer, 1 flap (flap hinge at bottom)
	as illustr. v. versa Price gr. I II	31731	31738	32131	32138	32431	32438
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg		2145		2175		2215	
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 57.							
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly
		3142	3143	3172	3173	3212	3213
Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V		 16.0 W 26.5 W 3144		 19.0 W 30.0 W 3174		 28.5 W 42.5 W 3214	
Metal substructure 19.4 cm high; high-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.		 2141		 2171		 2211	

4 Raster sideboards with rounded end at both sides

Lists of versions: see page 53

4 Raster sideboards with rounded end at both sides 71.4 cm high (73.2 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Wall units or wall assembly, standard interior fittings: Please see here the information on page 54	4 Raster sideboards with rounded end at both sides						
	 105.6 140.8 cm wide		 140.8 176.0 cm wide		 70.4 70.4 176.0 cm wide		
	3 drawers Top/Centre: 2 drawers Bottom: 1 flap (flap hinge at bottom)		3 drawers with split drawer frames Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 partition (flap hinge at bottom)		Left: 1 door Right: 3 drawers	Left: 1 door Top right/Centre: 2 drawers Bottom right: 1 flap (flap hinge at bottom)	
	as illustr. v. versa Price gr. I II	41431	41438	41731	41738	417511 417512	417581 417582
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Max. load: 40 kg							
	2105		2145		2145		
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Functional frame for wall assembly If you plan a functional frame for wall assembly, you require an extra wall bracket. In this case the plinth adjusters are omitted. Max. load: 40 kg Please note the further information on functional frames on page 57.							
	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	
	4102	4103	4142	4143	4142	4143	
Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	 17.5 W 26.0 W 4104		 18.5 W 27.0 W 4144		 18.5 W 27.0 W 4144		
Metal substructure 19.4 cm high; high-gloss chrome The units can be planned optionally on a metal substructure. In this case the plinth adjusters are omitted.	 2101		 2141		 2141		

Notes on delivery
Please see here the
information on page 54!

















1
2

Assembly notes for wall units:
Please be sure to note here the
information and notes in the
"Wall composition" chapter!

4
6




GENTIS

4 Raster sideboards with rounded end at both sides

		4 Raster sideboards with rounded end at both sides									
		 176.0 4		 70.4 105.6 4		 105.6 105.6 1 4			 70.4 140.8 1 6		
		211.2 cm wide		211.2 cm wide		246.4 cm wide			246.4 cm wide		
		3 drawers with split drawer frames	Top/Centre: 2 drawers with split drawer frames Bottom: 1 flap with 1 partition (flap hinge at bottom)	Left: 1 door Right: 3 drawers	Left: 1 door Top right/Centre: 2 drawers Bottom right: 1 flap (flap hinge at bottom)	6 drawers	Top/Centre: 4 drawers Bottom: 2 flaps (flap hinge at bottom)	Top/Centre: 4 drawers Bottom left: 1 drawer Bottom right: 1 flap (flap hinge at bottom)	Left: 1 door Right: 3 drawers with split drawer frames	Left: 1 door Top right/Centre: 2 drawers with split drawer frames Bottom right: 1 flap with 1 partition (flap hinge at bottom)	
	as illustr. v. versa Price gr. I II	42131	42138	421511 421512	421581 421582	42431	42438	424371 424372	424511 424512	424581 424582	
		2175		2175		2215		2215			
											
		Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly	Functional frame for floor units	Functional frame for wall assembly		
		4172	4173	4172	4173	4212	4213	4212	4213		
		 21.0 W 32.0 W		 30.5 W 42.5 W		 32.0 W 47.5 W		 32.5 W 46.0 W			
		4174		4174		4214		4214			
											
		2171		2171		2211		2211			









8 Raster highboard with rounded end at both sides

Lists of versions: see page 53

<div> 8 Raster highboard with rounded end at both sides 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep These units can not be fitted as wall units! </div>		8 Raster highboard with rounded end at both sides			
		<div>  105.6 140.8 cm wide </div>			
		4 drawers	<div> Top: 1 flap (flap hinge at bottom) Bottom: 3 drawers </div>	<div> Top: 2 flaps (flap hinge at bottom) Bottom: 2 drawers </div>	<div> Top: 3 flaps (flap hinge at bottom) Bottom: 1 drawer </div>
		81411	81418	81417	81416
	Price gr. I II				
<div> Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page 57. </div>		<div>  </div>			
		Functional frame for floor units			
		8102			
<div> Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V </div>		<div> 26.0 W  </div>			
		8104			







8 Raster cabinets

GENTIS

8 Raster cabinets 141.8 cm high (143.6 cm high incl. 1.8 cm high plinth adjusters), 45.0 cm deep Standard interior fittings and notes on cabinets: Please see here the information on page 54 These units can not be fitted as wall units!	8 Raster cabinets	
		
	52.8 cm wide 1 door with glass panel	105.6 cm wide 2 doors with glass panel
	85141 L 85142 R	81014
Functional frame for floor units The units can be planned optionally with a functional frame for floor units. Please note the further information on functional frames on page 57.		
	Functional frame for floor units	Functional frame for floor units
	852	81020
Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible. This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V	21.5 W 	25.5 W 
	854	81040
Integrated LED spotlamps for cabinets Ø 7.1 cm The cabinets can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 58). This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V Note: For type 81014 2 integrated LED spotlamps must be ordered!	2.9 W 	2x 2.9 W 
	7941	For type 81014 2 integrated LED spotlamps must be ordered! 2x 7941 2x

6 Raster wall shelf and wall cabinet




Lists of versions: see page 53

<div>6 Raster wall shelf</div> <div>105.6 cm high</div> <div>26.2 cm deep</div> <div>6 Raster wall cabinet</div> <div>105.6 cm high</div> <div>33.0 cm deep</div> <div>Notes on wall shelf and wall cabinet:</div> <div>Please see here the information on page 56</div> <div>Max. load wall shelf and wall cabinet: 20 kg</div>		6 Raster wall shelf		6 Raster wall cabinet	
					
		105.6 cm wide		105.6 cm wide	
		3 glass shelves, 6 glass partitions		2 doors with glass panel	
	Price gr.	61019		Price gr.	61014
	I			I	
	II			II	
	III				
<div>Functional frame for wall assembly</div> <div>If you plan a functional frame for wall assembly for the 6 Raster wall cabinet, you do not require an extra wall bracket.</div> <div>Max. load: 20 kg</div> <div>Please note the further information on functional frames on page 57.</div>					
				Functional frame for wall assembly	
				6106	
<div>Lamps for functional frames</div> <div>The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible.</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</div>				<div>27.5 W</div> 	
				6104	
<div>Lamps for wall shelf</div> <div>The wall shelf can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86).</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</div>		<div>30.0 W</div> 			
		6114			
<div>Integrated LED spotlamps for wall cabinet</div> <div>Ø 7.1 cm</div> <div>The cabinet can be fitted with optional integrated LED spotlamps. Integrated LED spotlamps incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86).</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</div> <div>Note:</div> <div>For type 61014 2 integrated LED spotlamps must be ordered!</div>				<div>2x 2.9 W</div> 	
				For type 61014 2 integrated LED spotlamps must be ordered!	2x 7941
					2x




Accent units

Lists of versions: see page 53


<p>2 Raster wall accent units 35.2 cm high (in leather version: 36.8 cm); 33.0 cm deep</p> <p>6 Raster wall accent unit 105.6 cm high (in leather version: 107.2 cm); 33.0 cm deep</p> <p>8 Raster wall accent unit 140.8 cm high (in leather version: 142.4 cm); 33.0 cm deep</p> <p>Notes on accent units: Carcase and front also in the versions knotted oak, knotted core walnut, Nappa leather and saddle leather possible. The inside carcase of accent units in leather version is in matt grey lacquer. If accent units are required in a leather version, the unit width increases by 1.6 cm.</p> <p>Wall units or wall assembly: Please see here the information on page 54</p>	2 Raster wall accent units					
	 <div> <div>105.6 cm wide (in leather version: 107.2 cm)</div> <div>140.8 cm wide (in leather version: 142.4 cm)</div> <div>176.0 cm wide (in leather version: 177.6 cm)</div> </div>					
	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)	1 flap with 1 partition (flap hinge at bottom)	1 flap with 1 partition (flap hinge at top)
	2108	2109	2148	2149	2178	2179
Price gr. I II III IV						
<p>Functional frame for wall assembly If you plan a functional frame for wall assembly for the wall accent units, you do not require an extra wall bracket.</p> <p>Max. load: 20 kg</p> <p>Please note the further information on functional frames on page 57.</p>	 <div> <div>Functional frame for wall assembly</div> <div>Functional frame for wall assembly</div> <div>Functional frame for wall assembly</div> </div>					
	<div> <div>Functional frame for wall assembly</div> <div>Functional frame for wall assembly</div> <div>Functional frame for wall assembly</div> </div>					
	<div> <div>Functional frame for wall assembly</div> <div>Functional frame for wall assembly</div> <div>Functional frame for wall assembly</div> </div>					
<p>Lamps for functional frames The functional frame can be fitted with an optional LED lamp. LED lamp incl. footswitch. Lamp switch optionally with a remote control unit (against surcharge; see page 86). Later fitting not possible.</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</p>	 <div> <div>19.5 W</div> <div>22.5 W</div> <div>27.5 W</div> </div>					
	<div> <div>19.5 W</div> <div>22.5 W</div> <div>27.5 W</div> </div>					
	2104	2144	2174			

11

Fitted shelves

 Fitted shelf 1.9 cm thick			in 35.2 cm wide carcasses resp. behind 34.8 cm wide doors	behind 52.4 cm wide doors and flaps	behind 70.4 cm wide doors and flaps	behind 105.6 cm wide flaps	for 1/2 compartment behind 140.8 cm wide flaps	for 1/2 compartment behind 176.0 cm wide flaps
	for 33,0 cm depth	Price gr. I II III	133					
	for 45,0 cm depth	Price gr. I II III	134	154	174	1104	174	184

Lamps

 <p>Integrated LED spotlamp Ø 7.1 cm Integrated LED spotlamp incl. footswitch.</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V</p>	<p>2.9 W</p> <p>7941</p>
--	---------------------------------

Remote control unit with changing colours

The lamps are normally operated by an external footswitch. The colour temperature of the LED lamps is cold white if a footswitch is used. A 4-channel remote control unit, which is charged extra, is also available as an alternative. Several lamps can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set from cold white (= the basic setting of the LED lamps) to warm white. If warm white is required, a radio remote control unit must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. Up to 4 transmitters can operate as many receivers as required. The remote control set consists of one transmitter and one receiver. If several receivers are required because of the arrangement of the units, these and the corresponding cables are provided ex-works (no surcharge). The footswitch is omitted when the remote control unit is used.

Please be sure to observe the information and notes given in the chapter “Switch options for lamps”!



2019



hülsta fabric collection

Modern cover fabrics, hard wearing and easy to care for in a high-quality.

Type of material Fabric no.	Material identification Colour	Price group
Smooth fabric of microfibres	top: 100% polyester, below: 70% polyester, 30% cotton	
S305	dark grey / anthracite	I
S306	mauve / lilac	I
S308	light grey	I
S315	brown grey / taupe	I
S316	alabaster / beige	I
S318	marine / blue	I
S319	coal / black	I
Smooth fabric lined with fleece	top: 100% polyester, below: 100% polyester, polar fleece	
S330	maize yellow	I
S331	almond white	I
S332	smoked quartz / taupe	I
S333	pepper	I
S334	slate	I
S336	sesame	I
S338	carambola	I
S339	golden olive	I
Chenille smooth fabric	73% polyester, 25% acrylic, 2% viscose	
S347	cream	I
S348	nut	I
S349	coffee	I
S350	black mocca	I
S351	khaki	I
S353	platinum grey	I
S354	brown anthracite	I
S355	deep brown	I
Smooth fabric	49% polyester, 30% acrylic, 21% cotton	
S356	white	I
S357	brilliant sand	I
S358	light brown	I
S359	chestnut	I
S362	medium blue	I
S363	grey blue	I
S364	grey black	I
Smooth fabric with wool effect	100% Polyester	
S230	light grey	I
S231	grey brown	I
S232	marine blue	I
S233	anthracite	I
S234	dark grey blue	I
S235	grey violet	I
Smooth fabric, roughened	65% wool, 20% polyamide, 15% kashmir	
S521	anthracite	II
S523	taupe	II
S524	grey	II
S528	beige	II
Smooth fabric lined with fleece	top: 100% polyester, below: 100% polyester, polar fleece	
S594	white	II
S595	smoky	II
S596	lemon	II
S597	tin	II
S598	pebble	II
S599	parchment	II

NEW

Shaded grey =

Fabrics with stain protection

Type of material Fabric no.	Material identification Colour	Price group
Smooth fabric, roughened S401 S402 S403 S404 S405 S406	70% wool, 25% polyamide, 5% other fibres brown blue petrol yellow violet pink	II II II II II II
Smooth fabric with EverClean S411 S412 S413 S414 S415 S416	100% polyester ivory dark brown anthracite quartz grey saffron brown beige	II II II II II II
Smooth fabric, velvet S421 S422 S423 S424 S425 S426	92.5% polyester, 4.5% polyamide, 3% cotton taupe sand tin black blue wine red grey white	II II II II II II
Smooth fabric with linen S500 S501 S502 S503 S504 S505 S506 S507	91% polyester, 5% linen, 4% polypropylene taupe anthracite blue green beige rose white cream white beige brown	II II II II II II II II
Artificial leather S431 S432 S433 S434 S436 S437 S438	72% polyvinyl chloride, 28% cotton white teal blue black brown grey dark brown taupe beige	II II II II II II II
Artificial leather with structure S450 S451 S452 S453 S454 S455 S456	top: 100% polyurethane, below: 41% leather, 39% polyethylene, 20% cotton cream white white dark brown taupe anthracite brown grey black	II II II II II II II
Nappa leather 5104 5105 5108 5119 5122 5123 5125	100% Nappa leather, pigmented anthracite black white nougat sand brown black grey	III III III III III III III

Plaids are not possible in artificial leather!

Plaids are not possible in artificial leather with structure!

Plaids are not possible in Nappa leather!



Wardrobe interior fittings

With these high-quality interior fittings for wardrobes hülsta has developed a system that meets every individual furnishing needs. The great number of different unit types, a wide spectrum of sizes, as well as a variety of surface versions underline the great versatility and variability available. The wardrobe interior fittings can be used in every kind of wardrobe – hinge-door, folding-door and sliding-door wardrobes as well as in the MULTI-FORMA II room system. There are many different sets of drawers for quick and easy planning.

Contents

	Page
Range introduction, list of versions	238
Fitted shelves, protective mat	239
Centre partition kits, clothes lift	240
Clothes rods, tie holders, trouser holders, inside mirror, fabric boxes	241
Important notes on fitting drawers in wardrobes	242-243
Sets of drawers	244-246
Fitting at any level	247-248
Accessories	249
Cover for sets of drawers	250
Wardrobe interior fittings in special width	251

Functional units

A multitude of functional components are the main features of the wardrobe interior fittings:

- Fitted shelves for straight and profiled units, also for panorama units and corner units
- Clothes rods for straight units and corner units
- LED illuminated shelves for straight units and hinge-door corner wardrobe, with automatic switch
- Centre partition kits and clothes lift
- Tie and trouser holders, also extendable
- Inside mirror for fitting on inside of wardrobe doors
- Fabric boxes

Drawers

For optimal use of wardrobes, all the drawers are available as single units or in sets. Because they can be fitted at any level it is possible to design wardrobe interior fittings individually.

- Drawers with wooden or glass front and shoe drawer
- Compartment for ties or linen for drawers with glass front
- Sets of drawers composed differently and made up of the units stated above
- For fitting at any level with carcasses, different drawers and accessories

Quality features

- **hülsta-SoftFlow:** All drawers on hidden roller bearings with auto pull-in feature with brake as fully pull-out units
- Tie holder in high-quality chrome version
- Drawer frames in standard grey
- Simple assembly due to the use of special brackets
- All inside surfaces have a side distance piece to ensure easy opening when the doors are open
- All wooden components optionally in different versions








List of versions




Model no.	Versions
973	White lacquer
974	Light interior veneer
975	Dark interior veneer









Please state in the order the name and the model number of the range which the wardrobe interior fittings are intended for.

Handle versions

The drawer handles for the wardrobe interior fittings are delivered standard in the same version as the wardrobe door handles in which the interior fittings are incorporated (high-gloss chrome or matt chrome). If the wardrobe door handles are required in wood or lacquer versions, please state the version of the drawer handles for the interior fittings clearly in the order!

		for wardrobe inside widths	Type no.	
 <p>Fitted shelves 2.3 cm thick (2.6 cm thick, including support strut for 118 to 198 cm width)</p>  <p>L</p>	<p>● 28 cm wide components only in combination with centre partition kit</p> <p>for straight units</p>	<p>● 28 cm 38 cm 48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 118 cm 128 cm 133 cm 138 cm 148 cm 158 cm 198 cm</p>	<p>79001 79002 79003 790032 790088 79004 79005 79006 790065 790068 790077 790066 790078 790067 79007 79008</p>	
	for profiled end units from MULTI-FORMA II	<p>48 cm 98 cm</p>	<p>790081 L 790082 R 790091 L 790092 R</p>	
 <p>Fitted corner shelf for 45° corner unit, 2.3 cm thick</p>	without clothes rod		79020	
	with clothes rod		79021	
<p>NEW</p>  <p>LED illuminated shelf 2.9 cm thick; with LED-lamp</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 11.0 W</p>	for straight units	98 cm	79436	
 <p>LED illuminated shelf 2.9 cm thick; with LED-lamp; with automatic switch and motion detector</p> <p>We do not recommend fitting these illuminated shelves in the MULTI-FORMA II room system.</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 3.4-18.7 W</p>	for straight units	<p>38 cm 48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 118 cm 128 cm 133 cm 138 cm 148 cm 158 cm 198 cm</p>	<p>79332 79333 793302 793038 79334 79335 79336 793365 793368 793377 793366 793378 793367 79337 79338</p>	
	for hinge-door corner wardrobe	without clothes rod	79339	
		with clothes rod	79340	
 <p>Presentation shelf 2.3 cm thick; with extra slat on the front rim, 6.0 cm high Fitted height: approx. 17.5 cm when fitted at an angle</p>	for straight units	<p>48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm</p>	<p>79503 79502 79508 79504 79505 79506 795065</p>	
 <p>Protective mat of silver-coloured plastic; for presentation shelves</p>	for straight units	<p>48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm</p>	<p>79563 79562 79568 79564 79565 79566 795665</p>	

		for wardrobe inside widths	Type no.	
 <p>Centre partition kit for wardrobes with unit inside widths of 78, 88 and 98 cm, consisting of: 1 centre partition (153.0 cm high); 2 constructional shelves 48 cm wide (fitted optionally left or right)</p> <p>for 78 cm width: 48 cm wide compartment with 2 constructional shelves; 28 cm open compartment</p> <p>for 88 cm width: 48 cm wide compartment with 2 constructional shelves; 38 cm open compartment</p> <p>for 98 cm width: 48 cm wide compartment with 2 constructional shelves; 48 cm open compartment</p> <p>Additional extras: 28, 38, 48 cm wide fitted shelves, clothes rods as well as 48 cm wide drawers and sets</p>			79130	
<p>If the centre partition kit is fitted in the MULTI-FORMA II room system, please add a "1" to the type number (e.g. 7913641). Please state clearly in the order!</p>	1 Raster high Total height: 22.2 cm	138 cm 158 cm 198 cm	791364 791374 791384	
 <p>Centre partition kit for hinge- and folding-door wardrobes as well as for open carcass units of the MULTI-FORMA II room system with unit inside widths of 138, 158 and 198 cm, consisting of: 1 centre partition (always in centre under constructional shelf) and 1 constructional shelf</p> <p>for 138 cm width: two 68 cm wide compartments for 158 cm width: two 78 cm wide compartments for 198 cm width: two 98 cm wide compartments</p> <p>Drawers and sets must be fitted in the centre partition kit (see pages 244-248). The standard cover shelves of the sets of drawers are deducted from the price.</p>	2 Raster high Total height: 41.4 cm	138 cm 158 cm 198 cm	791360 791370 791380	
	3 Raster high Total height: 60.6 cm	138 cm 158 cm 198 cm	791361 791371 791381	
	4 Raster high Total height: 79.8 cm	138 cm 158 cm 198 cm	791362 791372 791382	
	5 Raster high Total height: 99.0 cm	138 cm 158 cm 198 cm	791363 791373 791383	
 <p>Clothes lift Twin-arm, aluminium-coloured, swing-out clothes rod with brake mechanism Max. load: 10 kg</p>	for hinge-door wardrobes	68 cm 78 cm 98 cm 108 cm	79183 79184 79186 791865	
	for folding- and sliding-door wardrobes	78 cm 88 cm 98 cm 108 cm 118 cm	78184 78185 78186 781865 781875	

		for wardrobe inside widths	Type no.	
 <p>Clothes rod chrome, uniform tubular metal with two supports</p>	<ul style="list-style-type: none"> 28 cm wide components only in combination with centre partition kit <p>for straight units or for profiled end units</p>	<ul style="list-style-type: none"> 28 cm 38 cm 48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 118 cm 128 cm 133 cm 138 cm 148 cm 158 cm 198 cm 	79011 79012 79013 790182 790018 79014 79015 79016 790165 790168 790177 790166 790178 790167 79017 79018	
 <p>Extendable tie holder chrome, fitted on clothes rod and rear wall of wardrobe carcass for 22 ties 21.3 cm high, 11.6 cm wide, 50.0 cm deep</p>			79142	
 <p>Extendable tie holder chrome, fitted on the inner side of wardrobe carcass for 17 ties 13.0 cm high, 9.0 cm wide, 54.0 cm deep</p>			79145	
 <p>Tie holder chrome, fitted on the left inner side of wardrobe carcass for 18 ties 29.5 cm high, 25.0 cm wide, 8.0 cm deep</p>			79144	
 <p>Tie holder chrome, fitted on the inner side of hinge-doors for 3 ties 1.3 cm high, 26.0 cm wide, 5.0 cm deep</p>			79153	
 <p>Extendable trouser holder chrome, fitted on the inner side of wardrobe carcass for 3 pairs of trousers 26.0 cm high, 50.5 cm wide, 7.5 cm deep</p>			79146	
 <p>Inside mirror fitted on the inner side of 229.6 and 268.0 cm high as well as 40 and 50 cm wide, straight hinge-doors Please state clearly in the order which hinge-doors are to be fitted with an inside mirror. The inside mirror cannot be fitted in MULTI-FORMA II wardrobes in design F and F plus.</p>			79154	
 <p>Fabric boxes with leather grip; colours: black or sand 33.0 cm wide, 50.0 cm deep</p>	black	8 cm high 16 cm high 24 cm high	79170 79171 79172	
	sand	8 cm high 16 cm high 24 cm high	79165 79166 79167	

Important notes on fitting drawers in wardrobes

Additional accessories (e.g. drawers, sets of drawers, etc.; see pages **244-248**) can be fitted in hinge-, folding- and sliding-door wardrobes as well as in the MULTI-FORMA II room system. These accessories must always be fitted on both sides of the wardrobe side sections or centre partitions, i.e. the accessories have the same width as the inside width of the appropriate wardrobe unit (see examples **1** and **3-6**). It is, however, also possible to fit stand-alone accessories fitted at one side only. In this case, a cover for a set of drawers must be ordered extra (see examples **2, 7** and **8**). It is not possible to fit accessories that stand alone at both sides!

We differentiate between accessories for hinge-door wardrobes and for the MULTI-FORMA II room system as well as accessories for folding- and sliding-door wardrobes in the wardrobe interior fittings.

Drawers in the accessories for **hinge-door wardrobes** and for the **MULTI-FORMA II room system** are fitted with narrow side-support panels at both sides (see each of the left-hand wardrobe units in examples **1** and **2**).

Since folding- or sliding-doors cannot be opened at the sides as far as hinge-doors for constructional reasons, the accessories for **folding- and sliding-door wardrobes** are fitted with a narrow support panel at one side and with a wide support panel at the other side. That is why the accessories for folding- and sliding-door wardrobes are divided into accessories as **"accessories left" = L** (i.e. the wide side-support panel is fitted on the left-hand side of the accessory), and **"accessories right" = R** (i.e. the wide side-support panel is fitted on the right-hand side of the accessory).


With **folding-door wardrobes**, the wide support panel of the accessory must be fitted on the side of the folding-door unit where the folding-doors are mounted (see each of the middle and right-hand wardrobe units in examples **1** and **2** as well as example **3**). Please note: A sideward distance of up to a max. 5 cm must be kept to the side wall so that the folding-doors can be opened widely enough. The space depends on the intended handle. We recommend getting advice from hülsta if necessary.

With **2- and 4-door sliding-door wardrobes**, the wide support panel of the accessory must always be fitted on the inside of the sliding-door unit (see examples **4** and **6**). The same applies to the outside units of a **3-door sliding-door wardrobe**. The accessory of the middle unit must always be fitted with the wide support panel on the left (see example **5**). If the accessory is fitted as a stand-alone unit at one side with a cover for a set of drawers (see examples **2, 7** and **8**), the same applies as described above.

If 2 sets of drawers are fitted adjacently please use the centre partition kit shown on page **240** (see example **3**). The standard cover shelves of the sets of drawers are deducted from the price.


Please note: The sketches on pages **244-248** show the accessories for hinge-door wardrobes (i.e. with narrow side-support panels at both sides)!

Example 1 Hinge-/folding-door wardrobe



- A:** Accessory in hinge-door unit with narrow support panels at both sides
- B:** Accessory in folding-door unit with wide support panel at the side, where the door is mounted

Example 2 Hinge-/folding-door wardrobe




- C:** Accessory, stand-alone at one side, in hinge-door unit with narrow support panels at both sides
- D:** Accessory in folding-door unit, stand alone, at one side, with wide support panel at the side, where the door is mounted

Example 3

Folding-door wardrobe:


Panorama unit with 5 Raster high centre partition kit



E: Accessory in folding-door wardrobe with wide support panel at the side, where the door is mounted

Example 4


2-door sliding-door wardrobe



F: Accessory in sliding-door wardrobe with wide support panel at the side on the inside of the sliding-door unit

Example 5

3-door sliding-door wardrobe




G: Accessory in sliding-door wardrobe with wide support panel at the side on the inside of the sliding-door unit

H: Accessory in sliding-door wardrobe in the centre unit with a standard wide support panel on the left-hand side

Example 6

4-door sliding-door wardrobe




I: Accessory in sliding-door wardrobe with wide support panel at the side on the inside of the sliding-door unit

J: Accessory in sliding-door wardrobe in the left-hand centre unit with a standard wide support panel on the left-hand side

K: Accessory in sliding-door wardrobe in the right-hand centre unit with a standard wide support panel on the right-hand side

Example 7

2-door sliding-door wardrobe




L: Accessory, stand-alone at one side, in sliding-door wardrobe with wide support panel at the side on the inside of the sliding-door unit

M: Since the accessory in the right-hand unit of the sliding-door wardrobe is mounted as a stand-alone unit on the side and does not reach as far as the inside wall of the sliding-door unit, the wide support panel can also be fitted on the outer side wall of the sliding-door unit.

Example 8

4-door sliding-door wardrobe



N: Accessory, stand-alone at one side, in sliding-door wardrobe with wide support panel at the side on the inside of the sliding-door unit







O: Accessory, stand-alone at one side, in sliding-door wardrobe in the left-hand centre unit with a standard wide support panel on the left-hand side

P: Accessory, stand-alone at one side, in sliding-door wardrobe in the right-hand centre unit with a standard wide support panel on the right-hand side

Q: Since the accessory in the right-hand unit of the sliding-door wardrobe is mounted as a stand-alone unit on the side and does not reach as far as the inside wall of the sliding-door unit, the wide support panel can also be fitted on the outer side wall of the sliding-door unit.








Sets of drawers

Sets of drawers as a complete unit consisting of top cover shelf, block sides and different drawers. If sets of drawers are stacked, the cover shelf of the bottom set of drawers is omitted and can be deducted from the price. A cover for a set of drawers must be fitted for mounting the units as stand-alone units at one side. If 2 sets of drawers are fitted adjacently please use the centre partition kit (see page 240). For fitting at any level and accessories: see pages 247-249!

Please state clearly in the order if the sets are to be fitted in a hinge-door wardrobe or in the MULTI-FORMA II room system!		for wardrobe inside widths	Type no. for hinge-door wardrobes and MULTI-FORMA II room system		Type no. for folding- and sliding-door wardrobes	
 Set 1 1 drawer with wooden front	Total height: 21.5 cm	48 cm	60013		-	-
		58 cm	60012		610121 L	610122 R
		68 cm	60018		610181 L	610182 R
		78 cm	60014		610141 L	610142 R
		88 cm	60015		610151 L	610152 R
		98 cm	60016		610161 L	610162 R
		108 cm	600166		6101661 L	6101662 R
 Set 2 1 drawer with glass front	Total height: 21.5 cm	48 cm	60023		-	-
		58 cm	60022		610221 L	610222 R
		68 cm	60028		610281 L	610282 R
		78 cm	60024		610241 L	610242 R
		88 cm	60025		610251 L	610252 R
		98 cm	60026		610261 L	610262 R
		108 cm	600266		6102661 L	6102662 R
 Set 3 1 shoe drawer	Total height: 40.7 cm	48 cm	-	--	-	-
		58 cm	-		-	-
		68 cm	60038		-	-
		78 cm	60034		610341 L	610342 R
		88 cm	60035		610351 L	610352 R
		98 cm	60036		610361 L	610362 R
		108 cm	600366		6103661 L	6103662 R
 Set 4 2 drawers with wooden front	Total height: 40.7 cm	48 cm	60043		-	-
		58 cm	60042		610421 L	610422 R
		68 cm	60048		610481 L	610482 R
		78 cm	60044		610441 L	610442 R
		88 cm	60045		610451 L	610452 R
		98 cm	60046		610461 L	610462 R
		108 cm	600466		6104661 L	6104662 R
 Set 5 1 drawer with glass front 1 drawer with wooden front	Total height: 40.7 cm	48 cm	60053		-	-
		58 cm	60052		610521 L	610522 R
		68 cm	60058		610581 L	610582 R
		78 cm	60054		610541 L	610542 R
		88 cm	60055		610551 L	610552 R
		98 cm	60056		610561 L	610562 R
		108 cm	600566		6105661 L	6105662 R
 Set 6 2 drawers with glass front	Total height: 40.7 cm	48 cm	60063		-	-
		58 cm	60062		610621 L	610622 R
		68 cm	60068		610681 L	610682 R
		78 cm	60064		610641 L	610642 R
		88 cm	60065		610651 L	610652 R
		98 cm	60066		610661 L	610662 R
		108 cm	600666		6106661 L	6106662 R




Sets of drawers


Sets of drawers as a complete unit consisting of top cover shelf, block sides and different drawers. If sets of drawers are stacked, the cover shelf of the bottom set of drawers is omitted and can be deducted from the price. A cover for a set of drawers must be fitted for mounting the units as stand-alone units at one side. If 2 sets of drawers are fitted adjacently please use the centre partition kit (see page 240). For fitting at any level and accessories: see pages 247-249!

Please state clearly in the order if the sets are to be fitted in a hinge-door wardrobe or in the MULTI-FORMA II room system!		for wardrobe inside widths	Type no. for hinge-door wardrobes and MULTI-FORMA II room system		Type no. for folding- and sliding-door wardrobes	
	Set 7 3 drawers with wooden front	Total height: 59.9 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 60073 60072 60078 60074 60075 60076 60076		- 610721 L 610722 R 610781 L 610782 R 610741 L 610742 R 610751 L 610752 R 610761 L 610762 R 6107661 L 6107662 R	-
	Set 8 1 drawer with glass front 2 drawers with wooden front	Total height: 59.9 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 60083 60082 60088 60084 60085 60086 60086		- 610821 L 610822 R 610881 L 610882 R 610841 L 610842 R 610851 L 610852 R 610861 L 610862 R 6108661 L 6108662 R	-
	Set 9 2 drawers with glass front 1 drawer with wooden front	Total height: 59.9 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 60093 60092 60098 60094 60095 60096 60096		- 610921 L 610922 R 610981 L 610982 R 610941 L 610942 R 610951 L 610952 R 610961 L 610962 R 6109661 L 6109662 R	-
	Set 10 1 drawer with wooden front 1 shoe drawer	Total height: 59.9 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm - - 60108 60104 60105 60106 60106	- -	- - - - 611041 L 611042 R 611051 L 611052 R 611061 L 611062 R 6110661 L 6110662 R	- - -
	Set 11 4 drawers with wooden front	Total height: 79.1 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 60113 60112 60118 60114 60115 60116 60116		- 611121 L 611122 R 611181 L 611182 R 611141 L 611142 R 611151 L 611152 R 611161 L 611162 R 6111661 L 6111662 R	-
	Set 12 1 drawer with glass front 3 drawers with wooden front	Total height: 79.1 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 60123 60122 60128 60124 60125 60126 60126		- 611221 L 611222 R 611281 L 611282 R 611241 L 611242 R 611251 L 611252 R 611261 L 611262 R 6112661 L 6112662 R	-
	Set 13 2 drawers with glass front 2 drawers with wooden front	Total height: 79.1 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm 60133 60132 60138 60134 60135 60136 60136		- 611321 L 611322 R 611381 L 611382 R 611341 L 611342 R 611351 L 611352 R 611361 L 611362 R 6113661 L 6113662 R	-

Sets of drawers

Sets of drawers as a complete unit consisting of top cover shelf, block sides and different drawers. If sets of drawers are stacked, the cover shelf of the bottom set of drawers is omitted and can be deducted from the price. A cover for a set of drawers must be fitted for mounting the units as stand-alone units at one side. If 2 sets of drawers are fitted adjacently please use the centre partition kit (see page 240). For fitting at any level and accessories: see pages 247-249!

Please state clearly in the order if the sets are to be fitted in a hinge-door wardrobe or in the MULTI-FORMA II room system!		for wardrobe inside widths	Type no. for hinge-door wardrobes and MULTI-FORMA II room system		Type no. for folding- and sliding-door wardrobes	
 Set 14 5 drawers with wooden front	Total height: 98.3 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	60143 60142 60148 60144 60145 60146 601466		- 611421 L 611422 R 611481 L 611482 R 611441 L 611442 R 611451 L 611452 R 611461 L 611462 R 6114661 L 6114662 R	-
 Set 15 1 drawer with glass front 4 drawers with wooden front	Total height: 98.3 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	60153 60152 60158 60154 60155 60156 601566		- 611521 L 611522 R 611581 L 611582 R 611541 L 611542 R 611551 L 611552 R 611561 L 611562 R 6115661 L 6115662 R	-
 Set 16 2 drawers with glass front 3 drawers with wooden front	Total height: 98.3 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	60163 60162 60168 60164 60165 60166 601666		- 611621 L 611622 R 611681 L 611682 R 611641 L 611642 R 611651 L 611652 R 611661 L 611662 R 6116661 L 6116662 R	-








Cover for sets of drawers


The cover for sets of drawers is necessary when sets of drawers are fitted as stand-alone units at one side in the wardrobe (example: a 48 cm wide set is fitted in a wardrobe with an inside width of 98 cm so that one side of the set is fitted on the interior side of the wardrobe and the other side of the set stands alone in the wardrobe centre).

See here page 250!

Fitting at any level

Besides being able to fit complete sets of drawers, it is also possible to plan wardrobe interior fittings individually. All carcasses, consisting of the top cover shelf and block sides, can be fitted individually with different drawers. A cover for a set of drawers must be fitted for mounting the units as stand-alone units at one side in a wardrobe. If 2 carcasses are fitted adjacently, the centre partition kit must be used (see page 240). Complete sets of drawers: see pages 244-246! Accessories: see page 249!

Please state clearly in the order if the carcasses are to be fitted in a hinge-door wardrobe or in the MULTI-FORMA II room system!		for wardrobe inside widths	Type no. for hinge-door wardrobes and MULTI-FORMA II room system		Type no. for folding- and sliding-door wardrobes	
	1 Raster carcass	Total height: 21.5 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	40013 40012 40018 40014 40015 40016 400166	- 410121 L 410181 L 410141 L 410151 L 410161 L 4101661 L	- 410122 R 410182 R 410142 R 410152 R 410162 R 4101662 R
	2 Raster carcass	Total height: 40.7 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	40023 40022 40028 40024 40025 40026 400266	- 410221 L 410281 L 410241 L 410251 L 410261 L 4102661 L	- 410222 R 410282 R 410242 R 410252 R 410262 R 4102662 R
	3 Raster carcass	Total height: 59.9 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	40033 40032 40038 40034 40035 40036 400366	- 410321 L 410381 L 410341 L 410351 L 410361 L 4103661 L	- 410322 R 410382 R 410342 R 410352 R 410362 R 4103662 R
	4 Raster carcass	Total height: 79.1 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	40043 40042 40048 40044 40045 40046 400466	- 410421 L 410481 L 410441 L 410451 L 410461 L 4104661 L	- 410422 R 410482 R 410442 R 410452 R 410462 R 4104662 R
	5 Raster carcass	Total height: 98.3 cm	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	40053 40052 40058 40054 40055 40056 400566	- 410521 L 410581 L 410541 L 410551 L 410561 L 4105661 L	- 410522 R 410582 R 410542 R 410552 R 410562 R 4105662 R






Cover for sets of drawers

The cover for sets of drawers is necessary when carcasses are fitted as stand-alone units at one side in the wardrobe (example: a 48 cm wide carcass is fitted in a wardrobe with an inside width of 98 cm so that one side of the carcass is fitted on the interior side of the wardrobe and the other side of the carcass stands alone in the wardrobe centre).

See here page 250!





Fitting at any level

Besides being able to fit complete sets of drawers, it is also possible to plan wardrobe interior fittings individually. All carcasses, consisting of the top cover shelf and block sides, can be fitted individually with different drawers. A cover for a set of drawers must be fitted for mounting the units as stand-alone units at one side in a wardrobe. If 2 carcasses are fitted adjacently, the centre partition kit must be used (see page 240). Complete sets of drawers: see pages 244-246! Accessories: see page 249!

		for wardrobe inside widths	Type no. for hinge-door wardrobes and MULTI-FORMA II room system		Type no. for folding- and sliding-door wardrobes	
 1 Raster drawer with wooden front	19.2 cm high	48 cm	49263		-	-
		58 cm	49262			
		68 cm	49268			
		78 cm	49264			
		88 cm	49265			
		98 cm	49266			
		108 cm	492666			
 1 Raster drawer with glass front	19.2 cm high	48 cm	49273		-	-
		58 cm	49272			
		68 cm	49278			
		78 cm	49274			
		88 cm	49275			
		98 cm	49276			
		108 cm	492766			
 2 Raster shoe drawer with metal shelf; fits approx. shoe size 46	38.4 cm high	48 cm	-	--	-	---
		58 cm	-			
		68 cm	49208			
		78 cm	49204			
		88 cm	49205			
		98 cm	49206			
		108 cm	492066			

Accessories

The drawers in the sets of drawers and the carcasses for fitting at any level can be fitted with drawer compartments. The pull-out trouser holder is meant for fitting on the inner side of the wardrobe. The storage bowl enhances the pull-out trouser holder in the form of an additional extra.

	for wardrobe inside widths	Type no. for hinge-door wardrobes and MULTI-FORMA II room system		Type no. for folding- and sliding-door wardrobes																									
 <p>Compartment for ties We recommend only fitting these compartments in drawers with glass fronts. 5.6 cm high</p> <p>Number of compartments for ties:</p> <table><tr><td>for wardrobe inside width:</td><td>Hinge-doors/ room system</td><td>Folding-doors/ sliding-doors</td></tr><tr><td>48 cm</td><td>12</td><td>-</td></tr><tr><td>58 cm</td><td>16</td><td>12</td></tr><tr><td>68 cm</td><td>20</td><td>16</td></tr><tr><td>78 cm</td><td>24</td><td>20</td></tr><tr><td>88 cm</td><td>28</td><td>24</td></tr><tr><td>98 cm</td><td>32</td><td>28</td></tr><tr><td>108 cm</td><td>32</td><td>32</td></tr></table>	for wardrobe inside width:	Hinge-doors/ room system	Folding-doors/ sliding-doors	48 cm	12	-	58 cm	16	12	68 cm	20	16	78 cm	24	20	88 cm	28	24	98 cm	32	28	108 cm	32	32	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	49283 49282 49288 49284 49285 49286 492866		- 49283 49282 49288 49284 49285 49286	-
for wardrobe inside width:	Hinge-doors/ room system	Folding-doors/ sliding-doors																											
48 cm	12	-																											
58 cm	16	12																											
68 cm	20	16																											
78 cm	24	20																											
88 cm	28	24																											
98 cm	32	28																											
108 cm	32	32																											
 <p>Compartment for linen We recommend only fitting these compartments in drawers with glass fronts. 5.6 cm high</p> <p>Number of compartments for linen:</p> <table><tr><td>for wardrobe inside width:</td><td>Hinge-doors/ room system</td><td>Folding-doors/ sliding-doors</td></tr><tr><td>48 cm</td><td>6</td><td>-</td></tr><tr><td>58 cm</td><td>9</td><td>6</td></tr><tr><td>68 cm</td><td>12</td><td>9</td></tr><tr><td>78 cm</td><td>15</td><td>12</td></tr><tr><td>88 cm</td><td>15</td><td>15</td></tr><tr><td>98 cm</td><td>15</td><td>15</td></tr><tr><td>108 cm</td><td>15</td><td>15</td></tr></table>	for wardrobe inside width:	Hinge-doors/ room system	Folding-doors/ sliding-doors	48 cm	6	-	58 cm	9	6	68 cm	12	9	78 cm	15	12	88 cm	15	15	98 cm	15	15	108 cm	15	15	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	49293 49292 49298 49294 49295 49296 492966		- 49293 49292 49298 49294 49295 49296	-
for wardrobe inside width:	Hinge-doors/ room system	Folding-doors/ sliding-doors																											
48 cm	6	-																											
58 cm	9	6																											
68 cm	12	9																											
78 cm	15	12																											
88 cm	15	15																											
98 cm	15	15																											
108 cm	15	15																											
 <p>Pull-out trouser holder incl. top wooden cover shelf, block sides and storage bowl (storage bowl in 3 compartments, 2.7 cm high, 24.3 cm wide, 10.7 cm deep, of grey plastic, resting in rear area of trouser holder); for fitting on inner side of wardrobe at 98.3 cm height Total height of pull-out trouser holder including cover shelf: 21.5 cm; block 19.2 cm high, 55.0 cm deep</p> <p>Number of compartments for trousers / number of storage bowls:</p> <table><tr><td>for wardrobe inside width:</td><td>Hinge-doors/ room system</td><td>Folding-doors/ sliding-doors</td></tr><tr><td>68 cm</td><td>10 / 1</td><td>-</td></tr><tr><td>78 cm</td><td>12 / 2</td><td>10 / 1</td></tr><tr><td>88 cm</td><td>14 / 2</td><td>12 / 2</td></tr><tr><td>98 cm</td><td>16 / 2</td><td>14 / 2</td></tr><tr><td>108 cm</td><td>-</td><td>16 / 2</td></tr></table>	for wardrobe inside width:	Hinge-doors/ room system	Folding-doors/ sliding-doors	68 cm	10 / 1	-	78 cm	12 / 2	10 / 1	88 cm	14 / 2	12 / 2	98 cm	16 / 2	14 / 2	108 cm	-	16 / 2	68 cm 78 cm 88 cm 98 cm 108 cm	40008 40004 40005 40006 -	-	- 410041 L 410042 R 410051 L 410052 R 410061 L 410062 R 4100661 L 4100662 R	-						
for wardrobe inside width:	Hinge-doors/ room system	Folding-doors/ sliding-doors																											
68 cm	10 / 1	-																											
78 cm	12 / 2	10 / 1																											
88 cm	14 / 2	12 / 2																											
98 cm	16 / 2	14 / 2																											
108 cm	-	16 / 2																											
<p>If the cover shelf is fitted in the MULTI-FORMA II room system, please add a "1" to the type number (e.g. 492531). Please state clearly in the order!</p>  <p>Cover shelf 2.3 cm thick</p>	48 cm 58 cm 68 cm 78 cm 88 cm 98 cm 108 cm	49253 49252 49258 49254 49255 49256 492566		49253 49252 49258 49254 49255 49256 492566																									

Cover for sets of drawers

(stand-alone at one side); consisting of block sides and a top cover shelf. The cover for sets of drawers is necessary when sets of drawers and carcasses are fitted as stand-alone units at one side in the wardrobe (example: a 48 cm wide set is fitted in a wardrobe with an inside width of 98 cm so that one side of the set is fitted on the interior side of the wardrobe and the other side of the set stands alone in the wardrobe centre). Note: The standard cover shelf of the sets of drawers or carcasses is automatically removed from the set or carcass. The cost of the special cover for the set of drawers or carcasses is offset against the cost of this standard cover.

If the cover for sets of drawers is to be fitted in the MULTI-FORMA II room system, please add a "1" to the type number (e.g. 404131). Please state clearly in the order!

for wardrobe
inside widths

Type no. for
hinge-door
wardrobes
and
MULTI-FORMA II
room system

Type no. for folding- and
sliding-door wardrobes

for 1 Raster
height

48 cm
58 cm
68 cm
78 cm
88 cm
98 cm
108 cm

40413
40412
40418
40414
40415
40416
404166

40413
40412
40418
40414
40415
40416
404166

for 2 Raster
height

48 cm
58 cm
68 cm
78 cm
88 cm
98 cm
108 cm

40423
40422
40428
40424
40425
40426
404266

40423
40422
40428
40424
40425
40426
404266

for 3 Raster
height

48 cm
58 cm
68 cm
78 cm
88 cm
98 cm
108 cm

40433
40432
40438
40434
40435
40436
404366

40433
40432
40438
40434
40435
40436
404366

for 4 Raster
height

48 cm
58 cm
68 cm
78 cm
88 cm
98 cm
108 cm

40443
40442
40448
40444
40445
40446
404466


40443
40442
40448
40444
40445
40446
404466

for 5 Raster
height

48 cm
58 cm
68 cm
78 cm
88 cm
98 cm
108 cm

40453
40452
40458
40454
40455
40456
404566

40453
40452
40458
40454
40455
40456
404566



Cover for sets of drawers

Wardrobe interior fittings in special width


In order to exploit the area available inside the wardrobes in special width optimally, it is also possible to order the wardrobe interior fittings in special width for these units.

Cover shelf and side panels in special width type 99911
See below for two examples of calculation!

Hinge-door wardrobes and MULTI-FORMA II room system

The standard sets of drawers and carcasses for fitting at any level in hinge-door wardrobes and in the MULTI-FORMA II room system have slim 4.5 cm wide side panels fitted at both sides (see here pages 242-243). These panel sizes are different in the case of wardrobe interior fittings in special width.

If a hinge-door wardrobe, for example, is required in the special wardrobe inside width of 64 cm, the wardrobe interior fittings must be fitted in the next smaller standard size – that means the required wardrobe interior fittings are in a width of 58 cm. The difference in width of 6 cm that results is balanced out by making the 4.5 cm wide side panels 3 cm wider (= 7.5 cm each).




Folding-door and sliding-door wardrobes

The standard sets of drawers and carcasses for fitting at any level in folding- and sliding-door wardrobes are fitted with a slim 4.5 cm wide side panel at one side and a wide 14.5 cm wide side panel at the other side (see here pages 242-243). The panel size of the slim panel is different in the case of wardrobe interior fittings in special width.

If a folding-door wardrobe, for example, is required in the special wardrobe inside width of 82 cm, the wardrobe interior fittings must be fitted in the next smaller standard size – that means the required wardrobe interior fittings are in a width of 78 cm. The difference in width of 4 cm that results is balanced out by making the 4.5 cm wide side panel 4 cm wider (= 8.5 cm), the 14.5 cm wide side panel always retains its original width.

L/R = left/right (see here pages 242-243)



Wall composition / assembly instruction

Important notes:
The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.









Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs with the type name SX 8 x 65 from the Fischer Company supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar from the Fischer Company for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set (SX 8 x 65)	Assembly mortar set only suitable for the materials stated below!			
<div>Concrete C12/15</div> <div>Compression strength \geq 15 N/mm²</div> <div></div>		Building bricks Mz 12 Compression strength \geq 12 N/mm ²		Solid blocks of light concrete V2 Compression strength \geq 2 N/mm ²
		Limestone blocks KS 12 Compression strength \geq 12 N/mm ²		Perforated blocks of light concrete Hbl 2 Compression strength \geq 2 N/mm ²
		Perforated sand lime bricks KSL12 Compression strength \geq 12 N/mm ²		Aerated concrete PP2 Compression strength \geq 2 N/mm ²
		Vertically perforated bricks HLz 12 Compression strength \geq 12 N/mm ² Bulk density \geq 1.0 kg/dm ³		

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting!

Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.

Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.		
<div><div>3</div> = 3 support boards</div> <div><div>4</div> = 4 support boards, etc.</div>		
One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.		
Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.		
Standard set The standard set consists of 4 plastic Rawl plugs (SX 8 x 65) and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.		
Assembly mortar set for up to a maximum of 3 support boards consisting of: 9x injection retaining sleeve 9x screw-in sleeve 1x injection cartridge 2x static mixer 1x assembly instructions Please use the mounting screws from the standard set (supplied free of charge).	Example of order: <ul style="list-style-type: none">• Add up number of support boards for all existing unit types• Divide the sum by “3”• Round up the result to a full number = Number of assembly mortar sets required	M2

Switch options for lamps: Magic-Tronic

Magic-Tronic

The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By "stroking" the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off ("Stroking method"). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit ("Marking method"). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.

Standard position of Magic-Tronic for angled shelves:

- for angled shelves of the CUTARO and METIS plus ranges: sensor is fitted **8 cm from the top rim and 8 cm from the left side in the rear wall panel**
- for angled shelves of the LUNIS range: sensor is fitted **16 cm from the rear rim and 9.6 cm from the left side in the shelf**

Standard position of Magic-Tronic for consoles and chests:

- for consoles and chests of the ELUMO II and LUNIS ranges: sensor is fitted **16 cm from the rear rim in the cover shelf and 15.0 cm at the side next to the bed**
- for consoles and chests of the MULTI-VARIS range: sensor is fitted **12 cm from the rear rim in the outer side next to the bed and in approx. 7-15 cm from the top rim of the unit**

Standard position of Magic-Tronic for MULTI-FORMA II wardrobes:

- for hinge- and folding-door wardrobes of the MULTI-FORMA II range: sensor is fitted **in the right passepartout in approx. 130 cm height** (Magic-Tronic is not possible for wardrobes without passepartout, in sliding-door wardrobes and in the room and niche system)

Alternative positions:
If the Magic-Tronic sensor is to be fitted **on the right in the rear wall panel or in the shelf of angled shelves, in the left passepartout of the wardrobe or at any position other than that stated as standard** (e.g., if a unit is planned in a niche so that there is insufficient space to the right of the unit), **please state this clearly in the order and mark the position in the sketch. If in doubt, please contact your hülsta customer advisor!**




Illustration 1: "Stroking method"




Illustration 2: "Marking method"

Magic-Tronic

7617

Switch options for lamps: Magic-Tronic

Examples of use (schematic diagrams)


Example 1

Black point = Standard position of Magic-Tronic sensor for angled shelves


Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.

If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.



for angled shelves of the CUTARO and METIS plus ranges



for angled shelves of the LUNIS range


Example 2

Black point = Standard position of Magic-Tronic sensor for consoles and chests


Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.

If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.



for consoles and chests of the ELUMO II and LUNIS ranges



for consoles and chests of the MULTI-VARIS range


Example 3

Black point = Standard position of Magic-Tronic sensor for hinge- and folding-door wardrobes of the MULTI-FORMA II range

Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.

If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.



for hinge- and folding-door wardrobes of the MULTI-FORMA II range

Remote control unit with changing colours

The lamps are normally operated by an external footswitch. The colour temperature of the LED lamps is cold white if a footswitch is used. A 4-channel remote control unit (= transmitter), which is charged extra, is also available as an alternative. Several lamps (up to a total load of a maximum 30 W per transformer and receiver) can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set from cold white (= the basic setting of the LED lamps) to warm white. If warm white is required, a radio remote control unit must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. Up to 4 transmitters can operate as many receivers as required. Transmitters and receivers must be ordered separately. The footswitch is omitted when the remote control unit is used.


The following points must be noted with the radio remote control unit:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.
- The remote control unit is not suitable for equipment operating on 110 V!

Important notes:

The information on basic settings for the LED lamps as well as setting the colour temperature do not apply to the MEGA-DESIGN and MULTI-VARIS ranges!
Please be sure to note the operating and programming instructions!

4-channel remote control unit with changing colours



Light colour warmer

Light colour colder

Channel 1 to 4 (with dimmer function)

All off

All on

4-channel remote control unit with changing colours		
Price per transmitter	type	2016
Price per receiver	type	2017

Switch options for lamps: Remote control unit with changing colours

Examples of use (schematic diagrams)

Example 1

Lights inside a unit

Channel 1 operates (and dims) all the lights in light group 1, i.e. the spotlight in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the spotlamps in the unit above the TV bench


Channel 3 operates (and dims) all the lights in light group 3, i.e. the spotlight in the right cabinet

Required are:

1 transmitter	1x type	2016
1 receiver	1x type	2017

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Example 2

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the spotlight and the light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the light panels and the spotlamps in the centre cabinet


Channel 3 operates (and dims) all the lights in light group 3, i.e. the spotlight in the right cabinet

Required are:

1 transmitter	1x type	2016
3 receivers	3x type	2017

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Example 3

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top light panels in the left, centre and right cabinet

Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom light panels in the left, centre and right cabinet

Required are:

1 transmitter	1x type	2016
3 receivers	3x type	2017

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.

