



TAMETA

Contents

	Page
Range introduction	340
List of versions, example of planning and ordering	341
Special combinations	342-349
2-12 Raster units	350-355
Accessories for units	356-357
Bookcase units	358-360
2 Raster lowboards	362-363
Accessories for lowboards	364-365
2 Raster media lowboards	367
2 Raster media lowboards with integrated Teufel T2 Sound System	368
Technical information on Teufel T2 Sound System	369
Accessories for lowboards and media lowboards	370-371
6 Raster media panels and accessories	372-374
Column system, flat screen supports	375
2 Raster lowboards, 4 Raster sideboards	376-378
Accessories for 47.0 cm deep lowboards and sideboards	379
Wall shelves, cover/intermediate shelves, plinth shelves	380
Lamps, Magic-Tronic, remote control unit	381
Cylinder lock, hanging file unit, dining rooms, coffee tables	382
Sketch raster	383
Special products, switch options for lamps, cable apertures and wall composition: see separate chapters at the end of this type list!	

TAMETA provides elegant solutions for many furnishing questions. As a living room combination with good storage possibilities it is just as convincing as it is in the form of a single unit for the living room, dining room or hallway. TAMETA solves questions of individual style in no time. The front design is extremely flexible and permits many attractive combinations. The optional mixture of matt lacquers, warm wood shades and glass gives the fronts a high level of individuality. Glass fronts with different lacquer versions also achieve extraordinary effects.

Contemporary flexibility:

A modern range that wants to show its strengths in the living room as well as in the dining room and in the hallway must be of the highest quality and also extremely flexible. TAMETA is easy to plan with and provides convincing solutions reaching from large living room wall combinations to single unit oriented arrangements.

In a new and lighter look:

Open plan units which integrate the wall surface as a creative design element still remain popular. TAMETA provides wall units that reveal an aesthetically light appearance and give the living room wall a decorative character.

Fascinating glass fronts:

They are among the particularly attractive design elements in TAMETA: glass fronts, which can be given an optional full surface rear-lacquered finish or can have various cutout panels in the lacquer surfaces and therefore create an interesting cabinet-like look, are available in lots of different versions and variations.

Integrated media units:

TAMETA fulfils people's wishes towards integrating their home media units in their furniture by providing units which have been especially designed to meet such needs. A Teufel Sound System which fits perfectly into the media units from TAMETA and has been exclusively developed for hülsta is sure to provide you with some unforgettable evenings with your home cinema media equipment.

Living with light:

Light is an enlivening design element that creates a pleasant atmosphere in the room. The innovative LED lamps from TAMETA immerse your cabinets, wooden and glass shelves or panels in enchanting light.

- **Doors with panels of clear glass and rear-side rim lacquering**, optionally in rear-lacquered white, sand or grey, in an aluminium frame. **Please state clearly in the order!**
- **Doors, drawers and flaps with rear-lacquered glass fronts** as well as **doors with rear-lacquered glass fronts and clear glass inset**, optionally in rear-lacquered white, sand or grey, in an aluminium frame.
- Max. load of wooden and glass (fitted) shelves (up to 75 cm width) and drawers: 25 kg
Max. load of wooden and glass (fitted) shelves (from 75 cm width): 15 kg
Please also note any maximum loads which may be stated in the type list for the individual units!
- **hülsta-SoftFlow**: drawers on hidden roller bearings with automatic cushioning device as fully pullout units
- **hülsta-Push-to-open**: drawers of sideboards with sliding-doors and drawers for open compartments of lowboards with hülsta-Push-to-open device

Important notes: Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units. That is why wall mounting should only be carried out by properly trained and qualified fitters. hülsta supplies materials for mounting units on walls for nearly all the units and which should be used for safety and for constructional reasons. The assembly materials supplied by hülsta (plugs, screws) are only suitable for fitting components on to concrete in firmness class (C12/15). For other materials (please see separate materials table in the wall composition chapter) we provide you with an assembly mortar set as an extra order. Please note that this assembly mortar set is also only suitable for the materials listed in the materials table. If walls are made up of other materials (e.g. plastered or lighter wall materials), one should use another method of mounting better suited to the load on site. Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used. For the reasons stated above it is absolutely essential to enquire about the composition of any walls before signing any contracts.

List of versions

Model no.	Versions (without front)	Price gr.	Model no.	Versions front	Price gr.	Model no.	Versions of rear-side rim lacquering (for clear glass doors and fronts with clear glass inset)	Price gr.
640	White lacquer	I	640	White lacquer	I			
641	Grey lacquer	I	644	Sand lacquer	I			
685	Natural oak	I	641	Grey lacquer	I			
680	Core walnut	I	685	Natural oak	I			
			680	Core walnut	I			
			720	Rear-lacquered glass, white	II	760	Rear-side white lacquered	II
			721	Rear-lacquered glass, sand	II	761	Rear-side sand lacquered	II
			723	Rear-lacquered glass, grey	II	762	Rear-side grey lacquered	II

Changing versions:
In TAMETA colour combinations within individual units are possible. In this case please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged. When ordering units with clear glass doors and fronts with a clear glass inset, please be sure to state the colour of the rearside rim lacquering!

Full-length plinth shelves:
If several units are planned it is also possible to order a full-length plinth shelf.

Full-length cover shelves:
It is also possible to plan full-length cover shelves up to 250 cm width (no surcharge). Please state in the order.

Rear-lacquered glass fronts (glossy):
Glass fronts in an aluminium frame and panels of rear-lacquered glass;
Clear glass fronts: glass fronts in an aluminium frame and panels of clear glass and rearside rim lacquering.

Wall units:
If units are planned to be fitted as wall units, a bottom cover shelf and a wall bracket must be ordered.

Fabric-covered flaps:
Fabric-covered flaps optionally in versions of black, white or silver.
Please state clearly in the order!

Notes on delivery:
The majority of the units are delivered standard as **fully connected units (glued)** so that the carcass **cannot be disassembled**. There are however some **exceptions** to this rule:


Some carcasses are delivered as complete units but can be **disassembled into individual sections** in the final customer's home. These types are marked with a **1** in the type list.

Some carcasses are delivered **in individual sections** because of their size. These types are marked with a **2** in the type list.

The fronts with the number **2** are delivered separately and can therefore always be (dis-) assembled.

Labelling in type list drawings / assembly notes for wall units
The majority of units have two wall mounting points (= number of base plates), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= base plates) is required, this is marked in the drawings in the type list with numbers in black boxes. Please be sure to note here the information and notes in the "Wall composition" chapter!

Example of planning and ordering



★ **Changing versions:**
In TAMETA colour combinations within individual units are possible (in this case the two drawers in 3 and 4 Raster height). Please state the model number clearly and separately in the order! If versions from different price groups are exchanged, the higher price group is always charged.

Important note!
If 2, 4, 6 and 8 Raster units are included as wall units, the **maximum permitted load of 40 kg** must not be exceeded for reasons of stability! The wall units may only be fitted on absolutely solid walls. Plastered or lighter wall materials are not suitable for this purpose.

Position	Type no.	Description
1	10400	Full-length plinth shelf; 100 cm wide, 40 cm deep
2	15411 L	12 Raster unit with 1 door, door hinges left, and three drawers; 50 cm wide, 40 cm deep
3	01004	Full-length top cover shelf; 100 cm wide, 40 cm deep
4	15452 R	12 Raster unit with 1 door with rear-lacquered glass front and clear glass inset, door hinge right; 50 cm wide, 40 cm deep
5	501	Glass rim lamp for fitting behind fitted glass shelves; for 50 cm width
6	25400	Full-length plinth shelf; 250 cm wide, 40 cm deep
7	2004	Full-length bottom cover shelf for wall unit; 200 cm wide, 40 cm deep
8	22536	2 Raster lowboard with 2 sliding-doors of rear-lacquered glass and open compartment; 250 cm wide, 40 cm deep
9	22062	2 Raster bookcase unit with sliding-door of rear-lacquered glass and open compartment; 200 cm wide, 40 cm deep
10	1204	Bottom cover shelf for wall unit; 125 cm wide, 40 cm deep
11	21248	2 Raster unit with 1 flap with 1 partition; 125 cm wide, 40 cm deep
12	4200	Wall bracket for 200 cm wide 2 Raster unit with sliding-door
13	4125	Wall bracket for 125 cm wide 2 Raster unit with flap



Special combinations

List of versions: see page 341

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!


Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



Price gr.
I
II

42270

42280




Price gr.
I
II

990005 L
991005 R

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



		2 Raster lowboard with sliding-doors, 40.0 cm deep	2 Raster lowboard with sliding-doors, 47.0 cm deep
Price gr. I II	as illustr. v. versa	990023 991023	990123 991123

Information on the energy class: see the description of the individual units!

		All wall shelves without lamps	Two wall shelves with lamps
Price gr. I II	as illustr. v. versa	990117 991117	9901172 9911172


Special combinations

List of versions: see page 341

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



2 Raster lowboard with 2 flaps

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990108 991108	9901082 9911082

2 Raster lowboard with 2 drawers

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990208 991208	9902082 9912082

2 Raster lowboard with 1 flap left and 1 drawer right

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990308 991308	9903082 9913082

2 Raster lowboard with 1 drawer left and 1 flap right

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990408 991408	9904082 9914082

2 Raster lowboard with 2 flaps at the outside

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990122 991122	9901222 9911222

2 Raster lowboard with 2 drawers at the outside


		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990222 991222	9902222 9912222

2 Raster lowboard with 1 flap left and 1 drawer right at the outside

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990322 991322	9903222 9913222

2 Raster lowboard with 1 drawer left and 1 flap right at the outside


		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	990422 991422	9904222 9914222



Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



2 Raster lowboard with 2 flaps at the outside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990115 991115	9901152 9911152

2 Raster lowboard with 2 drawers at the outside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990215 991215	9902152 9912152

2 Raster lowboard with 1 flap left and 1 drawer right at the outside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990315 991315	9903152 9913152

2 Raster lowboard with 1 drawer left and 1 flap right at the outside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990415 991415	9904152 9914152

2 Raster lowboard with 2 flaps at the inside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990116 991116	9901162 9911162

2 Raster lowboard with 2 drawers at the inside


		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990216 991216	9902162 9912162

2 Raster lowboard with 1 flap left and 1 drawer right at the inside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990316 991316	9903162 9913162

2 Raster lowboard with 1 drawer left and 1 flap right at the inside

		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990416 991416	9904162 9914162




Special combinations

List of versions: see page 341

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



2 Raster lowboard with 2 flaps

Price gr. I II	as illustr. v. versa	990118 991118

2 Raster lowboard with 2 drawers

Price gr. I II	as illustr. v. versa	990218 991218

2 Raster lowboard with 1 flap left and 1 drawer right

Price gr. I II	as illustr. v. versa	990318 991318

2 Raster lowboard with 1 drawer left and 1 flap right

Price gr. I II	as illustr. v. versa	990418 991418

2 Raster lowboard with 2 flaps

Price gr. I II	as illustr. v. versa	990119 991119

2 Raster lowboard with 2 drawers


Price gr. I II	as illustr. v. versa	990219 991219

2 Raster lowboard with 1 flap left and 1 drawer right

Price gr. I II	as illustr. v. versa	990319 991319

2 Raster lowboard with 1 drawer left and 1 flap right


Price gr. I II	as illustr. v. versa	990419 991419




Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



Price gr. I II	as illustr. v. versa	990120 991120



Price gr. I II	as illustr. v. versa	990121 991121


Special combinations

List of versions: see page 341

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.


ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



Information on the energy class: see the description of the individual units!

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	980004 981004	9800042 9810042




Information on the energy class: see the description of the individual units!

		All wall shelves without lamps	One wall shelf with lamps
Price gr. I II	as illustr. v. versa	980005 981005	9800052 9810052

Special combinations are arrangements that are reduced in price. This price advantage is only available when the arrangement is ordered exactly as described. The special combinations can be enhanced by including accessories. These are charged extra.

ADVANTAGE!

Special-sized products for special combinations are possible immediately! **Pricing:** recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see here the chapter on „Special-sized products“)!



Information on the energy class: see the description of the individual units!

2 Raster lowboard with flap			
		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990125 991125	9901252 9911252


2 Raster lowboard with drawer			
		Wall shelf without lamps	Wall shelf with lamps
Price gr. I II	as illustr. v. versa	990225 991225	9902252 9912252

2 Raster lowboard with 4 flaps			
Price gr. I II	as illustr. v. versa	990124 991124	

2 Raster lowboard with 4 drawers			
Price gr. I II	as illustr. v. versa	990224 991224	

2 Raster lowboard with 2 flaps left and 2 drawers right			
Price gr. I II	as illustr. v. versa	990324 991324	

2 Raster lowboard with 2 drawers left and 2 flaps right			
Price gr. I II	as illustr. v. versa	990424 991424	



2 Raster units

List of versions: see page 341

2 Raster units

35.2 cm high
(without plinth shelf);
40.0 cm or 47.0 cm deep

incl. top cover shelf,
3.3 cm thick

Please do not forget to include
the plinth shelf or the wall
bracket and the bottom cover
shelf (see below and page 380).

Accessories for units:
See pages 356-357.





















There is a cable aperture
behind 47.0 cm deep units
at the centre of the rear wall
behind flaps.

**Changing versions, full-length
cover and plinth shelves,
rear-lacquered glass fronts:**
See here the information on
page 341.

Wall units:











If units are planned as wall
units, a wall bracket and a
bottom cover shelf must be
ordered (see below and
page 380). Please also note
here the notes in the "Wall
composition" chapter and the
notes on page 341.

**47.0 cm deep units cannot be
fitted as wall units!**

1 drawer			1 drawer		1 drawer		1 drawer with split drawer frame	
								
50 cm wide			75 cm wide		100 cm wide		125 cm wide	
	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
Price gr. I II	2542	2552	2742	2752	21042	21052	21242	21252
2 drawers			2 drawers		2 drawers		2 drawers with split drawer frames	
								
50 cm wide			75 cm wide		100 cm wide		125 cm wide	
	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
Price gr. I II	2541	2551	2741	2751	21041	21051	21241	21251
1 flap			1 flap		1 flap		1 flap with 1 partition	
								
50 cm wide			75 cm wide		100 cm wide		125 cm wide	
	Flap hinge at bottom		Flap hinge at bottom		Flap hinge at bottom		Flap hinge at bottom	
	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
Price gr. I II	2548	2558	2748	2758	2148	2158	21248	21258
1 flap			1 flap		1 flap		1 flap with 1 partition	
								
50 cm wide			75 cm wide		100 cm wide		125 cm wide	
	Flap hinge at top		Flap hinge at top		Flap hinge at top		Flap hinge at top	
	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
Price gr. I II	2549		2749		2149		21249	
for 50 cm width			for 75 cm width		for 100 cm width		for 125 cm width	
	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	450		475		4100		4125	
								
50 cm wide			75 cm wide		100 cm wide		125 cm wide	
	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	5400	5700	7400	7700	10400	10700	12400	12700











4 Raster units

TAMETA

<p>4 Raster units 70.4 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380).</p> <p>Interior fittings: Fitted wooden shelves are included behind doors and rear-lacquered glass doors at 2 Raster intervals and fitted glass shelves are included behind doors with clear glass front and rear-side rim lac- quering.</p> <p>Accessories for units: See pages 356-357.</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts, rear-side rim lacquering: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter and the notes on page 341.</p>	1 door		1 door	
	  L		  L	
	50 cm wide		75 cm wide	
	Price gr. I II	45431 L 45432 R	47431 L 47432 R	
	3 drawers		3 drawers	
	 50 cm wide		 75 cm wide	
	50 cm wide		75 cm wide	
	Price gr. I II	45430	47430	
	1 door with clear glass front and rear-side rim lacquering		1 door with clear glass front and rear-side rim lacquering	
	 L		 L	
	50 cm wide		75 cm wide	
	Price gr. I II	45461 L 45462 R —	47461 L 47462 R —	
<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 50 cm width		for 75 cm width	
		450	475	
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>	 50 cm wide		 75 cm wide	
		5400	7400	

6 Raster units

List of versions: see page 341

<p>6 Raster units 105.6 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380).</p> <p>Interior fittings: Fitted wooden shelves are included behind doors and rear-lacquered glass doors at 2 Raster intervals and fitted glass shelves are included behind doors with clear glass front and rear-side rim lac- quering.</p> <p>Accessories for units: See pages 356-357.</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts, rear-side rim lacquering: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter and the notes on page 341.</p>	1 door		1 door	
				
	50 cm wide L		75 cm wide L	
	Price gr. I II	65431 L 65432 R	67431 L 67432 R	
	4 drawers		4 drawers	
				
	50 cm wide		75 cm wide	
	Price gr. I II	65430	67430	
	1 door with clear glass front and rear-side rim lacquering		1 door with clear glass front and rear-side rim lacquering	
				
	50 cm wide L		75 cm wide L	
	Price gr. I II	65461 L 65462 R —	67461 L 67462 R —	
	1 door with rear-lacquered glass front and clear glass inset		1 door with rear-lacquered glass front and clear glass inset	
				
	50 cm wide L		75 cm wide L	
	Price gr. I II	65451 L 65452 R —	67451 L 67452 R —	
<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 50 cm width		for 75 cm width	
		450	475	
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>				
	50 cm wide		75 cm wide	
		5400	7400	

L/R = Door hinge left/right

















E Wohnen: TAMETA 5.2016

8 Raster units

Cylinder lock and/
or hanging file unit

















Can be fitted at a surcharge in units
showing these symbols, see page 382!

TAMETA

<p>8 Raster units 140.8 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380).</p> <p>Interior fittings: Fitted wooden shelves are included behind doors and rear-lacquered glass doors at 2 Raster intervals and fitted glass shelves are included behind doors with clear glass front and rear-side rim lac- quering as well as behind the clear glass inset of doors with a rear-lacquered glass front and clear glass inset.</p> <p>Accessories for units: See pages 356-357.</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts, rear-side rim lacquering: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter and the notes on page 341.</p>	1 door		2 doors		1 door		2 doors	
								
	50 cm wide		50 cm wide		75 cm wide		75 cm wide	
	Price gr. I II		85431 L 85432 R		85421 L 85422 R		87431 L 87432 R	
	1 door with clear glass front and rear-side rim lacquering		1 door with clear glass front and rear-side rim lacquering, 1 door		1 door with clear glass front and rear-side rim lacquering		1 door with clear glass front and rear-side rim lacquering, 1 door	
								
	50 cm wide		50 cm wide		75 cm wide		75 cm wide	
	Price gr. I II		85461 L 85462 R —		87461 L 87462 R —		87491 L 87492 R	
	1 door, 3 drawers		1 door with rear-lacquered glass front and clear glass inset		1 door, 3 drawers		1 door with rear-lacquered glass front and clear glass inset	
								
	50 cm wide		50 cm wide		75 cm wide		75 cm wide	
	Price gr. I II		85411 L 85412 R		85451 L 85452 R —		87411 L 87412 R	
<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 50 cm width		for 50 cm width		for 75 cm width		for 75 cm width	
	450		450		475		475	
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>								
	50 cm wide		50 cm wide		75 cm wide		75 cm wide	
	5400		5400		7400		7400	

10 Raster units

List of versions: see page 341

<p>10 Raster units 176.0 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick</p> <p>Please do not forget to include the plinth shelf (see below).</p> <p>Interior fittings: Fitted wooden shelves are included behind doors and rear-lacquered glass doors at 2 Raster intervals and fitted glass shelves are included behind doors with clear glass front and rear-side rim lac- quering as well as behind the clear glass inset of doors with a rear-lacquered glass front and clear glass inset.</p> <p>Accessories for units: See pages 356-357.</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts, rear-side rim lacquering: See here the information on page 341.</p> <p>Cannot be fitted as wall units!</p>	1 door		1 door with clear glass front and rear-side rim lacquering, 1 door	1 door	1 door with clear glass front and rear-side rim lacquering, 1 door
					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	Price gr. I II		105431 L 105432 R	107431 L 107432 R	107491 L 107492 R
	1 door, 3 drawers		1 door with clear glass front and rear-side rim lacquering, 3 drawers	1 door, 3 drawers	1 door with clear glass front and rear-side rim lacquering, 3 drawers
					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	Price gr. I II		105411 L 105412 R	107411 L 107412 R	107401 L 107402 R
	1 door with rear-lacquered glass front and clear glass inset		1 door with rear-lacquered glass front and clear glass inset, 1 drawer	1 door with rear-lacquered glass front and clear glass inset	1 door with rear-lacquered glass front and clear glass inset, 1 drawer
					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	Price gr. I II		105451 L 105452 R —	107451 L 107452 R —	107421 L 107422 R
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	5400		5400	7400	7400

















L/R = Door hinge left/right

E Wohnen: TAMETA 5. 2016

12 Raster units











Cylinder lock and/or hanging file unit
Can be fitted at a surcharge in units showing these symbols, see page 382!





TAMETA

<p>12 Raster units 211.2 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick</p> <p>Please do not forget to include the plinth shelf (see below).</p> <p>Interior fittings: Fitted wooden shelves are included behind doors and rear-lacquered glass doors at 2 Raster intervals and fitted glass shelves are included behind doors with clear glass front and rear-side rim lacquering as well as behind the clear glass inset of doors with a rear-lacquered glass front and clear glass inset.</p> <p>Accessories for units: See pages 356-357.</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts, rear-side rim lacquering: See here the information on page 341.</p> <p>Cannot be fitted as wall units!</p>	2 doors		1 door with clear glass front and rear-side rim lacquering, 1 door	2 doors	1 door with clear glass front and rear-side rim lacquering, 1 door
					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	Price gr. I II	15431 L 15432 R	15491 L 15492 R	17431 L 17432 R	17491 L 17492 R
	1 door, 3 drawers		1 door with clear glass front and rear-side rim lacquering, 3 drawers	1 door, 3 drawers	1 door with clear glass front and rear-side rim lacquering, 3 drawers
					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	Price gr. I II	15411 L 15412 R	15401 L 15402 R	17411 L 17412 R	17401 L 17402 R
	1 door with rear-lacquered glass front and clear glass inset		1 door with rear-lacquered glass front and clear glass inset, 1 door	1 door with rear-lacquered glass front and clear glass inset	1 door with rear-lacquered glass front and clear glass inset, 1 door
					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
	Price gr. I II	15451 L 15452 R	15421 L 15422 R	17451 L 17452 R	17421 L 17422 R
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>					
	50 cm wide		50 cm wide	75 cm wide	75 cm wide
		5400	5400	7400	7400

Accessories for units













List of versions: see page 341
















		for 50 cm width	for 75 cm width	for 100 cm width	for 1/2 compartment of 125 cm width
		053	073	0103	063
 Fitted wooden shelf 2.0 cm thick	for 40.0 cm depth				
	for 47.0 cm depth	054	074	0104	063
 Fitted glass shelf (clear glass) 0.8 cm thick		353	373		
 Tableau with grey fabric lining	for 40.0 cm depth	8620	8622	8623	8621
	for 47.0 cm depth			8627	8628
 Cutlery box of metal, lined with grey fabric inside; incl. compartments		17.6 cm wide		35.2 cm wide	
		855		856	
 Cutlery holder with grey fabric lining Set 1: for 60 pcs of cutlery Set 2: for 17 serving utensils		Set 1: for standard cutlery like spoons, forks, knives, etc.		Set 2: for sauce ladles, cake forks, cake servers, etc.	
		916		917	
 Plate holder suitable for max. 12 plates (Can only be fitted in 2 Raster drawers)		for plates size 16-20 cm	for plates size 22-26 cm	for plates size 28-32 cm	
		81	82	83	
 Wine box of metal, lined with grey fabric inside (Can only be fitted in 2 Raster drawers)		Wine box width: 17.6 cm			
		858			
 Utensil box of metal, lined with grey fabric inside; incl. compartments		Utensil box width: 35.2 cm			
		859			

 DVD-drawer 6.5 cm high; 45.5 cm wide; 32.0 cm deep. For fitting on wooden shelves; wooden frame, aluminium colour lacquer, with inside profile for storing DVDs transversely. Cannot be fitted behind flaps.		for 50 cm width			
		468			
 USB charging station with two double USB connections (for mobiles, tablets, etc.); current strength per double USB connection: 1x max. 2.100 mA or 2x 1.050 mA. The USB charging station is only suitable for de- vices that are compatible with the above power level data. Connection cable between USB charging station and device is not supplied.		for 50 cm width	for 75 cm width	for 100 cm width	for 1/2 compartment of 125 cm width
	for 40.0 cm depth	Please state in your order in which drawer the USB charging station is to be fitted. If no details are given in the order, the USB charging station is fitted as standard in the top right drawer.			
		8520	8522		8521
 CD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the CD holder is to be fitted	for 40.0 cm depth	8420	8422	8423	8421
	for 47.0 cm depth	8425	8427		8426
 DVD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the DVD holder is to be fitted.	for 40.0 cm depth	8320	8322	8323	8321
	for 47.0 cm depth	8325	8327	8328	8326

Bookcase units













List of versions: see page 341

<p>2 Raster bookcase units 35.2 cm high (without plinth shelf); 40.0 cm deep</p> <p>4 Raster bookcase units 70.4 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick, with diagonal metal struts</p> <p>For fitting on plinth shelf, any- where on walls and in front of media panels.</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380).</p> <p>Changing versions, full-length cover and plinth shelves: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter. Max. load per shelf: 50 and 75 cm width: 20 kg 100 cm width: 15 kg 125 cm width: 10 kg</p>	2 Raster bookcase unit		2 Raster bookcase unit		2 Raster bookcase unit		2 Raster bookcase unit		
									
	50 cm wide		75 cm wide		100 cm wide		125 cm wide		
	Price gr. I II	2450		2475		2410		2412	
		—		—		—		—	
	4 Raster bookcase unit		4 Raster bookcase unit		4 Raster bookcase unit		4 Raster bookcase unit		
									
	50 cm wide		75 cm wide		100 cm wide		125 cm wide		
	Price gr. I II	4450		4475		4410		4412	
		—		—		—		—	
<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 50 cm width		for 75 cm width		for 100 cm width		for 125 cm width		
	450		475		4100		4125		
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>									
	50 cm wide		75 cm wide		100 cm wide		125 cm wide		
		5400		7400		10400		12400	

<p>2 Raster bookcase units 35.2 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick, with diagonal metal struts</p> <p>For fitting on plinth shelf, any- where on walls and in front of media panels.</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380).</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter. Max. load per shelf: 15 kg</p>	2 Raster bookcase unit		
	 <p>150 cm wide</p>		
	 <p>200 cm wide</p>		
	 <p>250 cm wide</p>		
	Price gr. I II	2415 —	2420 —
	2 Raster bookcase unit with 1 flap		
	 <p>150 cm wide</p>		
	 <p>200 cm wide</p>		
	 <p>250 cm wide</p>		
	Price gr. I II	Flap hinge at bottom as illustr. v. versa 21581 21582	Flap hinge at bottom 22081 22082
	2 Raster bookcase unit with 1 flap		
	 <p>150 cm wide</p>		
	 <p>200 cm wide</p>		
	 <p>250 cm wide</p>		
	Price gr. I II	Flap hinge at top as illustr. v. versa 21591 21592	Flap hinge at top 22091 22092
	2 Raster bookcase unit with 1 flap		
	 <p>150 cm wide</p>		
	 <p>200 cm wide</p>		
	 <p>250 cm wide</p>		
	Price gr. I II	Flap hinge at top as illustr. v. versa 21591 21592	Flap hinge at top 22091 22092
<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 150 cm width		
	 <p>150 cm wide</p>		
	for 200 cm width		
	 <p>200 cm wide</p>		
	for 250 cm width		
	 <p>250 cm wide</p>		
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>	150 cm wide		
	15400		
	200 cm wide		
	20400		
	250 cm wide		
	25400		

Bookcase units










List of versions: see page 341

<p>2 Raster bookcase units with sliding-door of rear-lacquered glass 35.2 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick, rear wall behind sliding-door; with diagonal metal struts</p> <p>4 Raster bookcase units with sliding-door of rear-lacquered glass 70.4 cm high (without plinth shelf); 40.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick, 1 partition, 1 wooden shelf left and right, rear wall behind sliding-doors; with diagonal metal struts</p> <p>For fitting on plinth shelf, any- where on walls and in front of media panels.</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380).</p> <p>Changing versions, full-length cover and plinth shelves, rear-lacquered glass fronts: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter. Max. load per shelf: 15 kg</p>	2 Raster bookcase unit with 1 sliding-door		2 Raster bookcase unit with 1 sliding-door		2 Raster bookcase unit with 1 sliding-door	
						
	as illustr. v. versa		as illustr. v. versa		as illustr. v. versa	
	21561 21562		22061 22062		22561 22562	
	—		—		—	
	2 Raster bookcase unit with 1 sliding-door		2 Raster bookcase unit with 1 sliding-door		2 Raster bookcase unit with 1 sliding-door	
						
	as illustr. v. versa		as illustr. v. versa		as illustr. v. versa	
	21571 21572		22071 22072		22571 22572	
	—		—		—	
	4 Raster bookcase unit with 1 sliding-door		4 Raster bookcase unit with 1 sliding-door		4 Raster bookcase unit with 1 sliding-door	
						
	as illustr. v. versa		as illustr. v. versa		as illustr. v. versa	
	415601 415602		420601 420602		425601 425602	
	—		—		—	
<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 150 cm width		for 200 cm width		for 250 cm width	
	4150		4200		4250	
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm deep</p>						
	15400		20400		25400	









2 Raster lowboards


List of versions: see page 341

<p>2 Raster lowboards 35.2 cm high (without plinth shelf); 40.0 cm or 47.0 cm deep</p> <p>incl. full-length, top cover shelf, 3.3 cm thick; incl. cable aperture at centre of rear wall behind flap</p> <p>Please do not forget to include the plinth shelf or the wall bracket and the bottom cover shelf (see below and page 380)</p> <p>Accessories for units: See pages 364-365.</p> <p>Changing versions, rear-lacquered glass fronts: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket and a bottom cover shelf must be ordered (see below and page 380). Please also note here the notes in the "Wall composition" chapter. Max. load: 60 kg</p> <p>40.0 cm deep units cannot be fitted on substructures incl. plinth shelf.</p> <p>47.0 cm deep units cannot be fitted as wall units!</p>	2 drawers		2 drawers		2 drawers with split drawer frames		
	 150 cm wide		 200 cm wide		 250 cm wide		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	Price gr. I II	21532	21542	2232	2242	22532	22542
		2 flaps Usable sizes behind flap (each side): Height: 28.4 cm Width: 71.5 cm Depth: 35.5/42.5 cm		2 flaps Usable sizes behind flap (each side): Height: 28.4 cm Width: 46.6 cm Depth: 35.5/42.5 cm		2 flaps with 1 partition each Usable sizes behind flap (each side): Height: 28.4 cm Width: 59.1 cm Depth: 35.5/42.5 cm	
	 150 cm wide		 200 cm wide		 250 cm wide		
		Flap hinge at bottom		Flap hinge at bottom		Flap hinge at bottom	
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	Price gr. I II	21538	21548	2238	2248	22538	22548
		1 flap; 1 drawer Usable sizes behind flap (each side): Height: 28.4 cm Width: 71.5 cm Depth: 35.5/42.5 cm		1 flap; 1 drawer Usable sizes behind flap (each side): Height: 28.4 cm Width: 46.6 cm Depth: 35.5/42.5 cm		1 flap with 1 partition; 1 drawer with split drawer frame Usable sizes behind flap (each side): Height: 28.4 cm Width: 59.1 cm Depth: 35.5/42.5 cm	
	 150 cm wide		 200 cm wide		 250 cm wide		
		Flap hinge at bottom		Flap hinge at bottom		Flap hinge at bottom	
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	Price gr. I II	as illustr. v. versa 215381 215382	215481 215482	22381 22382	22481 22482	225381 225382	225481 225482




<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>	for 150 cm width		for 200 cm width		for 250 cm width		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	4150			4200		4250	

<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm or 47.0 cm deep</p>	 150 cm wide		 200 cm wide		 250 cm wide		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	15400	15700	20400	20700	25400	25700	




<p>Substructures incl. plinth shelves Substructure 12.0 cm high, plinth shelf 3.3 cm thick; 47.0 cm deep</p>	 150 cm wide		 200 cm wide		 250 cm wide		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
			15800		20800		25800






2 Raster lowboards with sliding-doors

2 Raster lowboards with sliding-doors of rear-lacquered glass 35.2 cm high (without plinth shelf); 40.0 cm or 47.0 cm deep Max. load: 40 kg For further information see the lowboards on the previous page.	2 sliding-doors of rear-lacquered glass; open compartment Usable sizes behind sliding-door (each side): Height: 28.4 cm Width: 46.5 cm Depth: 35.5/42.5 cm Usable size open compartment: Height: 31.9 cm Width: 50.0 cm Depth: 37.5/44.5 cm  150 cm wide		2 sliding-doors of rear-lacquered glass; open compartment Usable sizes behind sliding-door (each side): Height: 28.4 cm Width: 46.5 cm Depth: 35.5/42.5 cm Usable size open compartment: Height: 31.9 cm Width: 100.0 cm Depth: 37.5/44.5 cm  200 cm wide		2 sliding-doors of rear-lacquered glass; open compartment Usable sizes behind sliding-door (each side): Height: 28.4 cm Width: 71.5 cm Depth: 35.5/42.5 cm Usable size open compartment: Height: 31.9 cm Width: 100.0 cm Depth: 37.5/44.5 cm  250 cm wide		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	Price gr. I II	21536 —	21546 —	2236 —	2246 —	22536 —	22546 —








Wall bracket If units are planned as wall units, a wall bracket must be ordered. Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!	for 150 cm width		for 200 cm width		for 250 cm width		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
		4150		4200		4250	





Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm or 47.0 cm deep	 150 cm wide		 200 cm wide		 250 cm wide		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
		15400	15700	20400	20700	25400	25700

Substructures incl. plinth shelves Substructure 12.0 cm high, plinth shelf 3.3 cm thick; 47.0 cm deep	 150 cm wide		 200 cm wide		 250 cm wide		
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
			15800		20800		25800

Accessories for lowboards

List of versions: see page 341








2 Raster drawers (each 1 Raster high) for open compartment of lowboards with sliding-doors Drawers with hülsta- Push-to-open device		for 50 cm wide open compartment of 150 cm wide lowboards		for 100 cm wide open compartment of 200 and 250 cm wide lowboards	
		 2 drawers		 4 drawers	
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	Price gr. I II	1251	1351	1211	1311
2 Raster drawers for open compartment of lowboards with sliding-doors Drawers with hülsta- Push-to-open device		 1 drawer		 2 drawers	
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
	Price gr. I II	2251	2351	2211	2311
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!		for 50 cm width		for 100 cm width	
		40.0 cm deep	47.0 cm deep	40.0 cm deep	47.0 cm deep
		4150		4200	
	Fitted wooden shelf for open compartment of lowboards with sliding-doors; 3.3 cm thick		for 50 cm wide open compartment		for 100 cm wide open compartment
		for 40.0 cm depth	055		075
		for 47.0 cm depth	056		076
	Fitted wooden shelf 2.0 cm thick		for 1 compartment behind 50 cm wide sliding-doors	for 1 compartment behind 75 cm wide flaps/sliding-doors	for 1 compartment behind 100 cm wide flaps
		for 40.0 cm depth	053	073	0103
		for 47.0 cm depth	054	074	0104
	Tableau with grey fabric lining		for 50 cm wide drawers with hülsta-Push-to-open device		
		for 40.0 cm depth	8624		
		for 47.0 cm depth	8625		
			for 75 cm wide drawers	for 100 cm wide drawers	for 1/2 drawer of 125 cm width
		for 40.0 cm depth	8622	8623	8621
		for 47.0 cm depth	8627	8628	8626
	Niche rear wall for open compartment		for 50 cm wide open compartment		for 100 cm wide open compartment
			249		299




 DVD-drawer 6.5 cm high; 45.5 cm wide; 32.0 cm deep. For fitting on wooden shelves; wooden frame, aluminium colour lacquer, with inside profile for storing DVDs transversely. Cannot be fitted behind flaps.		for 50 cm width		
		468		
 USB charging station with two double USB connections (for mobiles, tablets, etc.); current strength per double USB connection: 1x max. 2.100 mA or 2x 1.050 mA. The USB charging station is only suitable for de- vices that are compatible with the above power level data. Connection cable between USB charging station and device is not supplied.		for 75 cm width	for 100 cm width	for 1/2 compartment of 125 cm width
	for 40.0 cm depth	8522	Please state in your order in which drawer the USB charging station is to be fitted. If no details are given in the order, the USB charging station is fitted as standard in the top right drawer.	
	for 47.0 cm depth	8527	8521	
 CD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the CD holder is to be fitted		for 1 drawer of 150 cm wide lowboards	for 1 drawer of 200 cm wide lowboards	for 1/2 drawer of 250 cm wide lowboards
	for 40.0 cm depth	8422	8423	8421
	for 47.0 cm depth	8427	8428	8426
 DVD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the DVD holder is to be fitted.	for 40.0 cm depth	8322	8323	8321
	for 47.0 cm depth	8327	8328	8326






2 Raster media lowboards

TAMETA













<div>2 Raster media lowboards with fabric-covered flap</div> <div>35.2 cm high (without plinth shelf); 47.0 cm or 65.0 cm deep</div> <div>incl. full-length, top cover shelf, 3.3 cm thick; incl. cable aperture at centre of rear wall behind flap. Pull-out shelf (black lacquer) incl. reinforcement strut behind fabric-covered flap of 65.0 cm deep lowboards.</div> <div>Please do not forget to include the plinth shelf (see below).</div> <div>Max. load: 60 kg</div> <div>Fabric-covered flaps: optionally in versions of black, white or silver. Please state clearly in the order! Activating area of hülsta-Push-to-open device on flap with powder-coated metal clip (for protecting the fabric) in same colour as chosen fabric.</div> <div>Accessories: See pages 370-371.</div> <div>Changing versions, rear-lacquered glass fronts: See here the information on page 341.</div>	1 fabric-covered flap		1 fabric-covered flap; 1 drawer		with 1 drawer left and right as well as 1 fabric-covered flap in centre		
	<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div> <div></div> <div>150 cm wide</div>		<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div> <div></div> <div>200 cm wide</div>		<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div> <div></div> <div>250 cm wide</div>		
		47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep
	as illustr. v. versa	215074	215076	2200741 2200742	2200761 2200762	225074	225076
	Price gr. I II	—	—				
	1 fabric-covered flap		1 fabric-covered flap; 1 flap		with 1 flap left and right as well as 1 fabric-covered flap in centre		
	<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div>		<div>Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 42.5/60.5 cm</div>		<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div> <div>Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 42.5/60.5 cm</div>		
							
	200 cm wide		250 cm wide				
		Flap hinge at bottom		Flap hinge at bottom			
				47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep
	Price gr. I II	as illustr. v. versa		2201741 2201742	2201761 2201762	225174	225176
	1 fabric-covered flap		1 fabric-covered flap; 1 flap		with 1 flap left, 1 fabric-covered flap in centre as well as 1 drawer right		
	<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div>		<div>Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 42.5/60.5 cm</div>		<div>Usable dims. behind 150 cm wide flap (of 47/65 cm depth): Height: 30.2/24.0 cm Width: 146.5/133.5 cm Depth: 42.5/60.5 cm</div> <div>Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 42.5/60.5 cm</div>		
							
250 cm wide		250 cm wide					
	Flap hinge at bottom		Flap hinge at bottom				
			47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep	
Price gr. I II				as illustr. v. versa	2252741 2252742	2252761 2252762	

<div>Plinth shelves</div> <div>4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 47.0 cm or 65.0 cm deep</div>	<div></div> <div>150 cm wide</div>		<div></div> <div>200 cm wide</div>		<div></div> <div>250 cm wide</div>		
		47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep
		15700	15600	20700	20600	25700	25600

<div>Substructures incl. plinth shelves</div> <div>Substructure 12.0 cm high, plinth shelf 3.3 cm thick; 47.0 cm or 65.0 cm deep</div>	<div></div> <div>150 cm wide</div>		<div></div> <div>200 cm wide</div>		<div></div> <div>250 cm wide</div>		
		47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep	47.0 cm deep	65.0 cm deep
		15800	15900	20800	20900	25800	25900

2 Raster media lowboards with integrated Teufel T2 Sound System

List of versions: see page 341

<p>2 Raster media lowboards with integrated Teufel T2 Sound System behind fabric-covered flap 35.2 cm high (without plinth shelf); 65.0 cm deep</p> <p>incl. full-length, top cover shelf, 3.3 cm thick; incl. cable aperture at centre of rear wall behind flap</p> <p>Please do not forget to include the plinth shelf (see below).</p> <p>Max. load: 60 kg</p> <p>Fabric-covered flaps: optionally in versions of black, white or silver. Please state clearly in the order! Activating area of hülsta-Push-to-open device on flap with powder-coated metal clip (for protecting the fabric) in same colour as chosen fabric.</p> <p>Accessories: See pages 370-371.</p> <p>Changing versions, rear-lacquered glass fronts: See here the information on page 341.</p> <p>See next page for technical information on Teufel T2 Sound System!</p>	1 fabric-covered flap		1 fabric-covered flap; 1 drawer		with 1 drawer left and right as well as 1 fabric-covered flap in centre		
							
	150 cm wide		200 cm wide		250 cm wide		
	Price gr. I II	as illustr. v. versa	215096		2200961 2200962		225096
		—					
			1 fabric-covered flap; 1 flap		with 1 flap left and right as well as 1 fabric-covered flap in centre		
			Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 60.5 cm		Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 60.5 cm		
							
			200 cm wide		250 cm wide		
	Price gr. I II		Flap hinge at bottom		Flap hinge at bottom		
		as illustr. v. versa		2201961 2201962		225196	
		<div>Important note: The media lowboards with integrated Sound System Teufel T2 will be discontinued as of 31/05/2016 (last date for orders at hülsta).</div>		with 1 flap left, 1 fabric-covered flap in centre as well as 1 drawer right			
				Usable dims. behind 50 cm wide flap: Height: 28.4 cm Width: 46.5 cm Depth: 60.5 cm			
							
				250 cm wide			
Please pay attention to the requirements on free space (heat build-up) stated by electrical manufacturers!	Price gr. I II				Flap hinge at bottom		
					as illustr. v. versa		2252961 2252962
<p>Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 65.0 cm deep</p>							
	150 cm wide		200 cm wide		250 cm wide		
		15600	20600	25600			
<p>Substructures incl. plinth shelves Substructure 12.0 cm high, plinth shelf 3.3 cm thick; 65.0 cm deep</p>							
	150 cm wide		200 cm wide		250 cm wide		
		15900	20900	25900			



Typisch **Teufel**
www.teufel.de

Important note:
The media lowboards with integrated Sound System Teufel T2 will be discontinued as of 31/05/2016 (last date for orders at hülsta).

Set-up service for Teufel system – Teufel connects it and sets it up:

Do you need help setting up and adjusting the sound unit? Teufel's specialists provide optional comprehensive service packages against a fee to help you set up and get to know the sound system.

For example: Checking the system status and, if necessary, correcting the connections. Connecting all peripheral devices (games console, Blu-ray player, SAT receiver, TV, etc.). Measuring system performance, setting up the control unit, fine tuning. Sound demo and comprehensive instruction in the system.

Order direct from:

For private customers: +49 (0) 30-300 930 990
For furniture dealers: +49 (0) 30-300 930 995
mail: huelsta@teufel.de
Mon. - Fri.: 10 am – 6 pm

Teufel Soundsystem

Information on the Teufel T2 Sound System

- 3.1 complete unit for audio/video playback
- Highest sound quality for home cinema, games, music and sports
- Compact control device with the latest technology (3D, HDMI)
- Connect any kind of player (e.g. Blu-ray, DVD, etc.)
- 3.1 amplifier with 350 watts in subwoofer

Aluminium outside, sound inside

A high-class 3.1 surround unit with modern HD technology and simple mode. Perfectly tuned, extremely compact, ready to play: Simply connect any media player of your choice – and ultra-sharp pictures and perfect sound in High Definition are just waiting to be discovered.

Contemporary

Teufel micro loudspeakers in the highest quality level, a particularly high-performance compact subwoofer, the small control device for the entire Teufel unit. The era of highly complicated home cinema AV receivers and bulky loudspeaker towers is well and truly over.

Perfect tuning guaranteed

Due to the precise technical interlocking of the control device and the loudspeakers we guarantee an optimum sound experience. The strengths of all the various components are exactly matched to one another. Teufel combines the high-quality of a component system with perfect tuning of a complete unit.

Easy setup

A graphical user interface visible via your TV screen assists you in easily setting up and operating the entire unit. The small central operating unit with its integrated radio makes HDMI, digital- and analogue connections ready for a multitude of playback sources: Blu-ray-player, media hard disk, TV, games consoles. And of course, the latest Dolby TrueHD / DTS-HD master sound formats are also included, including the processing of 3D signals.

3 micro loudspeakers / 1 flex subwoofer

Even the smallest loudspeakers do not require any acoustic compromises. Instead, you experience clearly contoured sound with sparkling overtones, precise voice resolution and some enthralling basses. Micro loudspeakers of the highest quality level. In the smallest dimensions. And the same applies to the slim subwoofer unit.

Enjoyment with no regrets

Teufel brings you modern, expansive sound enjoyment for every kind of application: music, the home cinema, sports, games. And all of it is smaller and better than before. Easy-to-use, quick to install and with practical components. It can be integrated unobtrusively into the living room, is modest in its appearance and convincing in its acoustics.






Media lowboards with integrated Teufel Sound System are supplied in the following countries:
Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Finland, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lichtenstein, Lithuania, Malta, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden.






Usable dims. open compartment:
Height: 9.6 cm
Width: 45.0 cm
Depth: 38.0 cm

Accessories for 65.0 cm deep media lowboards

List of versions: see page 341


		for 50 cm width
 <p>Fitted wooden shelf 2.0 cm thick</p>		057
 <p>Tableau with grey fabric lining</p>		8629
 <p>USB charging station with two double USB connections (for mobiles, tablets, etc.); current strength per double USB connection: 1x max. 2.100 mA or 2x 1.050 mA. The USB charging station is only suitable for devices that are compatible with the above power level data. Connection cable between USB charging station and device is not supplied.</p>		8529
 <p>CD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the CD holder is to be fitted.</p>		8429
 <p>DVD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the DVD holder is to be fitted.</p>		8329

Accessories for all lowboards

 <p>Subwoofer base cut-out section Base cut-out section Ø 25 cm; The sounds from the subwoofer pass out through the base cut-out section in the 2 Raster lowboard without hindrance. The exact position in the carcass is predetermined ex-works and cannot be altered.</p>		15
 <p>Cable aperture K1 Silver-coloured; Ø 8.0 cm; It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made at the rear of the top shelf. The position is in the centre of the compartment, distance from centre of aperture to rear edge of unit: 7.0 cm If media panels are planned on top of a lowboard, please state the exact position of the cable aperture in the order.</p>		K1
 <p>Cable aperture K8 Silver-coloured; 12.8 x 3.2 cm; It is possible to fit a cable aperture in the top shelf of the lowboard. The cable aperture can be made in the rear edge of the top shelf. Positioned in centre of compartment. If media panels are planned on top of a lowboard, please state the exact position of the cable aperture in the order.</p>		K8

Multiple socket

Integrated multiple plug
Can be fitted in lowboard behind rear wall optionally left (L) or right (R) in the compartment with fabric-covered flap; please state clearly in the order!
Later fitting not possible.
7.4 cm high, 44.6 cm long, 5.7 cm deep



Multiple socket with on/off function all 6 sockets permanent current (with central On/Off switch)
291 L 292 R

IR repeater sets

IR repeater sets
Infrared signal transmission sets for operating media units behind wooden/lacquered fronts. You can operate all the units in one compartment with one set. The following applies:

- One set must be used for each compartment. 2 transmitters can also be installed for large compartments in order to increase performance. In this case only one additional transmitter needs to be ordered.
- The transmitter must be placed in the direct vicinity of the receiver eye of the media unit.
- Transmissible IR frequency band 20 - 60 kHz
- Up to 3 transmitters can be combined with one receiver

It is possible to use 3 transmitters via 1 receiver including Master box. This enables simultaneous operation of 3 different furniture compartments or in critical situations it allows fitting out one furniture compartment with several transmitters in order to increase the performance in this compartment or to operate 2 end units placed next to one another.
The IR repeater set consists of:

- in the case of **IR repeater set 1**: 1 receiver eye (Ø 3.0 cm) incl. standing bracket
- in the case of **IR repeater set 2**: 1 receiver eye (Ø 3.0 cm)
- 1 electrical transmitter
- 1 plug EVG 12 V
- Cable clips

Standard fitting position of IR repeater set 2:
- in media panels: 14.0 cm from the lower rim and 12.0 cm from the left outer side of the media panels

Please note the details stated in the operating instructions!



IR repeater set 1 1 receiver eye and 1 transmitter incl. standing bracket	IR repeater set 2 1 receiver eye and 1 transmitter (always fitted at left of media panel)
2001	2002
Extra transmitter 2003	

TV columns

TV columns can be rotated and adjusted in angle, for fitting on **floor lowboards with partition** (not possible with 2 Raster lowboards with 2 drawers on top of one another and wall lowboards).
The TV column can only be fitted above a partition and when a Sound System is fitted in the centre above the sound compartment. The partition is provided with a cut-out section for cables (no surcharge). No drawers are possible below the TV column.

The revolving TV column 52 is suitable for flat screens with a screen diagonal of 38"-52" (96-132 cm), max. load: 35 kg
TV revolving column 52 compatible with VESA Norm standard:
min. 75 x 75 mm, max. 400 x 400 mm

The revolving TV column 65 is suitable for flat screens with a screen diagonal of 38"-65" (96-165 cm), max. load: 40 kg
TV revolving column 65 compatible with VESA Norm standard:
min. 75 x 75 mm, max. 800 x 400 mm



TV column 52	TV column 65
9404	9403

Bluetooth adapter




Bluetooth adapter for the Teufel Sound System
Cable-free transmission of music from mobile phone, iPhone, notebook or PC in excellent quality.




The Bluetooth adapter has both an analogue 3.5 mm output jack as well as an optical TOSLINK connection for audio output. Both connections are operated at the same time so there is no need to switch anything over on the Bluetooth music receiver when changing the output device.

2005

6 Raster media panels

List of versions: see page 341

6 Raster media panels 104.1 cm high; 9.6 cm thick incl. assembly space for fitting anywhere on walls using invisible special bracket Not available in rear-lacquered glass versions!	Broken lines = fixed position of optional media panel shelves (with LED lamps)			
				
	150 cm wide	200 cm wide	250 cm wide	
Price gr. I II	6155	6205	6255	
	—	—	—	

6 Raster media panels with Sound System 104.1 cm high; 9.6 cm thick incl. assembly space for fitting anywhere on walls using invisible special bracket Not available in rear-lacquered glass versions! See below for technical information on the Sound System!	Broken lines = fixed position of optional media panel shelves (with LED lamps)			
				
	150 cm wide	200 cm wide	250 cm wide	
Price gr. I II	6156	6206	6256	
	—	—	—	

Technical information on the Sound System for media panels

Sound System for media panels

The Sound System for media panels includes:

- an electronic unit
- two loudspeaker housings
- remote control unit

Technical data:

Frequency range: 50 - 25,000 Hz (-6 dB)
 Output power: 4x 25 W (incl. overload protection)
 Electrical connection: 100 - 240 V (50 - 60 Hz)
 Power input: 35 W (operation), < 1 W (standby)
 Inputs: 30-pin dock (for e.g. iPod/iPhone, mobiles, MP3 players), line-in, USB audio
 Outputs: composite video


Loudspeakers

Tweeter: 19 mm fabric tweeter
 Medium frequencies: 2 inch
 Woofer: 3.0 inch / type B

Bluetooth

The Bluetooth receiver is compatible with all equipment which has the corresponding Bluetooth technology. When there is a Bluetooth connection, the Sound System can play all the music titles which are saved on the compatible device.

Arrangement scheme of media panels with Sound System




hülsta-Sound System with use of TV sets

Switching:

- 1.) Connect your equipment such as satellite receiver, DVD player, Blu-ray player or your games consoles to your TV set.
- 2.) Transmit the audio signal via the audio output (head-phones jack) of your TV set to the control unit of the Sound System. The Sound System provides 3 cinch jacks (analogue) and one coaxial and one Toslink jack (digital) for this purpose.
- 3.) Enjoy the hülsta-Sound System

The Sound System is also ready for use without a TV set. In this case and for initial operation please see the operating instructions.


Cable connections between the TV set and the Sound System are not included in the package.




Assembly information for media panels with sound system

There are no brackets, loudspeakers, cables or similar behind the shaded areas (“open area”) in the schematic drawings of the media panels on the right. Therefore the flat screen TV support, for example, can be fitted at this position without damaging any other parts.


for 150 cm width



for 200 cm width














for 250 cm width



Accessories for media panels

List of versions: see page 341


		50 cm wide	75 cm wide	
 <p>Media panel shelves 25.0 cm deep; 3.3 cm thick</p> <p>Can only be fitted at fixed positions at the left and/or right and top and/or bottom of the media panels (only at bottom of media panels with Sound System, see the sketches on the previous page). Please state clearly in the order.</p> <p>Max. load: 15 kg</p>				
		55	75	
 <p>Media panel shelves with LED lamps 25.0 cm deep; 3.3 cm thick</p> <p>A Magic-Tronic or remote control unit is essential for operation (against surcharge; see page 381)</p> <p>Can only be fitted at fixed positions at the left and/or right and top and/or bottom of the media panels (only at bottom of media panels with Sound System, see the sketches on the previous page). Please state clearly in the order.</p> <p>Max. load: 15 kg</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 1.0 or 2.5 W</p>		1.0 W	2.5 W	
		56	76	
 <p>Top LED lamps for media panels for fitting behind top of media panels</p> <p>A Magic-Tronic or remote control unit is essential for operation (against surcharge; see page 381)</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 5.0-7.0 W</p>		for 150 cm width; 5.0 W	for 200 cm width; 6.0 W	for 250 cm width; 7.0 W
		915	922	925
 <p>Side LED lamps for media panels for fitting left (L) and/or right (R) behind the media panels</p> <p>A Magic-Tronic or remote control unit is essential for operation (against surcharge; see page 381)</p> <p>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 3.0 W</p>		691 L 692 R		
 <p>Cable aperture K3 Silver coloured; Ø 7.2 cm (aperture 5.6 cm)</p> <p>It is possible to fit a cable aperture in the media panels above the lower media panel shelves (see sketch left). The cable aperture is made 37.5 cm from the lower rim and 35.2 cm from the left and/or right side of the media panel. Please state the exact position (left and/or right) clearly in the order!</p>		K3		

Column system consisting of a metal column (for fitting anywhere on wall) and of audio/DVD support(s), for fitting anywhere on column. Example of use: 		Columns of metal; for fitting anywhere on walls above top rim of plinth slab; cables can be laid and hidden at any height; audio/DVD supports can be fitted anywhere on the column. 		Audio/DVD support of metal; can be positioned at any height on the column and be adjusted to suit audio/DVD players of any size; with rubber padding at front to prevent units from slipping; max. load: 10 kg 	
		36.8 cm high	64.1 cm high		
		9201	9202	9203	
Flat screen support WTL6 The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-216 cm (40"-85"); max. load: 45 kg. Go to www.vivanco.de to check if your flat screen can be fitted on this flat screen support. Enter the name WTL6. After a few steps you can see if your flat screen TV is compatible with the flat screen support. Suitable for Curved TV's. Flat screen support compatible with VESA Norm standard: min.: 200 x 200 mm max.: 600 x 400 mm 		Flat screen support THIN 345, ideally adaptable The flat screen support can be adjusted 3-dimensionally. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 5.0 cm; max. load: 25 kg. Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 345. After a few steps you can see if your flat screen TV is compatible with the flat screen support. Not suitable for Curved TV's. Flat screen support compatible with VESA Norm standard: min.: 100 x 100 mm max.: 600 x 400 mm 		Flat screen support THIN 315 The flat screen support can be angled up to a max. 15°. It is suitable for flat screens with a screen diagonal of 102-165 cm (40"-65") and a maximum depth of 5.0 cm; max. load: 25 kg. Go to www.vogels.com to check if your flat screen can be fitted on this flat screen support. Enter the name THIN 315. After a few steps you can see if your flat screen TV is compatible with the flat screen support. Not suitable for Curved TV's. Flat screen support compatible with VESA Norm standard: min.: 100 x 100 mm max.: 600 x 400 mm 	
for fitting anywhere on wall	for fitting at fixed positions on media panels (see below; later assembly not possible; incl. cable aperture in support and wall panel)	for fitting anywhere on wall	for fitting at fixed positions on media panels (see below; later assembly not possible; incl. cable aperture in support and wall panel)	for fitting anywhere on wall	for fitting anywhere on media panels (a cable aperture K1 is supplied and can be fitted on site)
9704	9705	9304	9305	9504	9505


Assembly positions of flat screen supports on media panels

Besides being able to assemble the flat screen support anywhere on a wall, it is also possible to plan this unit in front of media panels. For reasons of statics and construction, only the assembly positions listed below are possible for the **flat screen supports types 9705 and 9305**, other positions are excluded. Please state clearly in your order at which position the flat screen support is to be assembled, the media panels are provided with drilled holes accordingly. Later assembly is not possible. The **flat screen support type 9505** can be fitted at any position - even at a later date. Please be sure in this case that when a Sound System is fitted, no screws are inserted right through the panel and electronic components are therefore not damaged. Height position: centrally in wall panel.


Possible width positions of flat screen supports on media panels



In sketch 1:
The centre of the flat screen support is 75 cm from the left and right side of the media panel.



In sketch 2:
The centre of the flat screen support in position 1 (or position 3) is 66.7 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 100 cm from the left and right side of the media panel.



In sketch 3:
The centre of the flat screen support in position 1 (or position 3) is 71.6 cm from the left (or right) side of the media panel. The centre of the flat screen support in position 2 is 125 cm from the left and right side of the media panel.









Note on measurements in sketches:
The size scale above the sketches is not true to scale. The dimensions are always based on the centre of the flat screen support in the relevant assembly position.

Assembly notes for wall units:
Please be sure to note here the information and notes in the "Wall composition" chapter!









4
6

2 Raster lowboards

List of versions: see page 341









2 Raster lowboards on plinth shelf 40.0 cm high (incl. 1.5 cm high plinth legs); 47.0 cm deep incl. top cover shelf and plinth shelf, each 3.3 cm thick Accessories: See page 379. Changing versions, rear-lacquered glass fronts: See here the information on page 341. Wall units: If units are planned as wall units, a wall bracket must be ordered (see below). Please also note here the notes in the "Wall composition" chapter. Max. total load: 60 kg	with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre  175 cm wide		with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre  200 cm wide		with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre  225 cm wide		with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre  250 cm wide		
	217909		220909		222909		225909		
	Price gr. I II								
		with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right  175 cm wide		with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right  200 cm wide		with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right  225 cm wide		with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right  250 cm wide	
Price gr. I II	as illustr. v. versa	2179191 2179192		2209191 2209192		2229191 2229192		2259191 2259192	
Wall bracket If units are planned as wall units, a wall bracket must be ordered. Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!	for 175 cm width		for 200 cm width		for 225 cm width		for 250 cm width		
	5175		5200		5225		5250		

2 Raster lowboards on substructure









2 Raster lowboards on substructure 48.5 cm high (incl. 10.0 cm high metal substructure); 47.0 cm deep incl. top cover shelf, 3.3 cm thick Accessories: See page 379. Changing versions, rear-lacquered glass fronts: See here the information on page 341.	with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre			with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre			with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre			with 1 drawer left and right as well as 1 angled clear glass flap and 1 drawer in centre					
															
	175 cm wide			200 cm wide			225 cm wide			250 cm wide					
	Price gr. I II	217908			220908			222908			225908				
		with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right			with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right			with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right			with 1 drawer left, 1 angled clear glass flap and 1 drawer in centre as well as 1 flap right				
Price gr. I II															
	175 cm wide			200 cm wide			225 cm wide			250 cm wide					
Price gr. I II	as illustr. v. versa			2179181 2179182			2209181 2209182			2229181 2229182			2259181 2259182		

4 Raster sideboards

TAMETA









<div>4 Raster sideboards on plinth shelf</div> <div>75.2 cm high (incl. 1.5 cm high plinth legs); 47.0 cm deep</div> <div>incl. top cover shelf and plinth shelf, each 3.3 cm thick; with 1 fitted wooden shelf behind each door, with rear wall in open compartment</div> <div>Accessories: See page 379.</div> <div>Changing versions, rear-lacquered glass fronts: See here the information on page 341.</div> <div>Wall units: If units are planned as wall units, a wall bracket must be ordered (see below). Please also note here the notes in the "Wall composition" chapter. Max. total load: 60 kg</div> <div>Wall bracket If units are planned as wall units, a wall bracket must be ordered. Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</div>	with 1 door left and right as well as 3 drawers in centre		with 1 door left and right as well as 3 drawers in centre		with 1 door left and right as well as 3 drawers in centre		with 1 door left and right as well as 3 drawers in centre			
	<div>6</div>  <div>175 cm wide</div>		<div>6</div>  <div>200 cm wide</div>		<div>6</div>  <div>225 cm wide</div>		<div>6</div>  <div>250 cm wide</div>			
	Price gr. I II		417909		420909		422909		425909	
	with 1 door left and right as well as 1 open compartment and 2 drawers in centre		with 1 door left and right as well as 1 open compartment and 2 drawers in centre		with 1 door left and right as well as 1 open compartment and 2 drawers in centre		with 1 door left and right as well as 1 open compartment and 2 drawers in centre			
	<div>6</div>  <div>175 cm wide</div>		<div>6</div>  <div>200 cm wide</div>		<div>6</div>  <div>225 cm wide</div>		<div>6</div>  <div>250 cm wide</div>			
Price gr. I II		417919		420919		422919		425919		
for 175 cm width		for 200 cm width		for 225 cm width		for 250 cm width				
5175		5200		5225		5250				

4 Raster sideboards on substructure









4 Raster sideboards on substructure 83.7 cm high (incl. 10.0 cm high metal substructure); 47.0 cm deep incl. top cover shelf, 3.3 cm thick; with 1 fitted wooden shelf behind each door; with rear wall in open compartment Accessories: See page 379. Changing versions, rear-lacquered glass fronts: See here the information on page 341.	with 1 door left and right as well as 3 drawers in centre  175 cm wide				with 1 door left and right as well as 3 drawers in centre  200 cm wide				with 1 door left and right as well as 3 drawers in centre  225 cm wide				with 1 door left and right as well as 3 drawers in centre  250 cm wide				Price gr. I II				417908				420908				422908				425908			
	with 1 door left and right as well as 1 open compartment and 2 drawers in centre  175 cm wide				with 1 door left and right as well as 1 open compartment and 2 drawers in centre  200 cm wide				with 1 door left and right as well as 1 open compartment and 2 drawers in centre  225 cm wide				with 1 door left and right as well as 1 open compartment and 2 drawers in centre  250 cm wide				Price gr. I II				417918				420918				422918				425918			

4 Raster sideboards

List of versions: see page 341











<p>4 Raster sideboards on plinth shelf 75.2 cm high (incl. 1.5 cm high plinth legs); 47.0 cm deep</p> <p>incl. top cover shelf and plinth shelf, each 3.3 cm thick; with 1 fitted wooden shelf behind each door</p> <p>Accessories: See page 379.</p> <p>Changing versions, rear-lacquered glass fronts: See here the information on page 341.</p> <p>Wall units: If units are planned as wall units, a wall bracket must be ordered (see below). Please also note here the notes in the "Wall composition" chapter. Max. total load: 60 kg</p>	<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>175 cm wide</p>				<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>200 cm wide</p>				<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>225 cm wide</p>				<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>250 cm wide</p>			
	<p>Price gr. I II</p>				<p>Price gr. I II</p>				<p>Price gr. I II</p>				<p>Price gr. I II</p>			
	<p>with 1 sliding-door of rear-lacquered glass left and right as well as 3 drawers with hülsta-Push-to-open in centre</p>  <p>175 cm wide</p>				<p>with 1 sliding-door of rear-lacquered glass left and right as well as 6 drawers with hülsta-Push-to-open in centre</p>  <p>200 cm wide</p>				<p>with 1 sliding-door of rear-lacquered glass left and right as well as 3 drawers with hülsta-Push-to-open in centre</p>  <p>225 cm wide</p>				<p>with 1 sliding-door of rear-lacquered glass left and right as well as 6 drawers with hülsta-Push-to-open in centre</p>  <p>250 cm wide</p>			
	<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>				<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>				<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>				<p>Wall bracket If units are planned as wall units, a wall bracket must be ordered.</p> <p>Please state clearly in the order. Please also note here the notes in the "Wall composition" chapter!</p>			

4 Raster sideboards on substructure

<p>4 Raster sideboards on substructure 83.7 cm high (incl. 10.0 cm high metal substructure); 47.0 cm deep</p> <p>incl. top cover shelf, 3.3 cm thick; with 1 fitted wooden shelf behind each door</p> <p>Accessories: See page 379.</p> <p>Changing versions, rear-lacquered glass fronts: See here the information on page 341.</p>	<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>175 cm wide</p>				<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>200 cm wide</p>				<p>ADVANTAGE!</p>  <p>225 cm wide</p>				<p>with 1 door left and right as well as 1 angled clear glass flap and 2 drawers in centre</p>  <p>250 cm wide</p>			
	<p>Price gr. I II</p>				<p>Price gr. I II</p>				<p>Price gr. I II</p>				<p>Price gr. I II</p>			
	<p>with 1 sliding-door of rear-lacquered glass left and right as well as 3 drawers with hülsta-Push-to-open in centre</p>  <p>175 cm wide</p>				<p>with 1 sliding-door of rear-lacquered glass left and right as well as 6 drawers with hülsta-Push-to-open in centre</p>  <p>200 cm wide</p>				<p>ADVANTAGE!</p>  <p>225 cm wide</p>				<p>with 1 sliding-door of rear-lacquered glass left and right as well as 6 drawers with hülsta-Push-to-open in centre</p>  <p>250 cm wide</p>			
	<p>Price gr. I II</p>				<p>Price gr. I II</p>				<p>Price gr. I II</p>				<p>Price gr. I II</p>			


Accessories for 47.0 cm deep lowboards and sideboards

TAMETA


		for 50 cm width	for 75 cm width	for 100 cm width	for 1/2 compartment of 125 cm width
	Fitted wooden shelf 2.0 cm thick; 34.0 cm deep	054	074	0104	063
	Tableau with grey fabric lining	8625	8627	8628	8626
	Cutlery box of metal, lined with grey fabric inside; incl. compartments	Cutlery box width: 17.6 cm 855		Cutlery box width: 35.2 cm 856	
	Cutlery holder lined with grey fabric Set 1: for 60 pcs of cutlery Set 2: for 17 serving utensils	Set 1: for standard cutlery like spoons, forks, knives, etc.		Set 2: for sauce ladles, cake forks, cake servers, etc.	
		916		917	
	Plate holder suitable for max. 12 plates (Can only be fitted in 2 Raster drawers)	for plates size 16-20 cm 81	for plates size 22-26 cm 82	for plates size 28-32 cm 83	
	Wine box of metal, lined with grey fabric inside (Can only be fitted in 2 Raster drawers)	Wine box width: 17.6 cm 858			
	Utensil box of metal, lined with grey fabric inside; incl. compartments	Utensil box width: 35.2 cm 859			
	USB charging station with two double USB connections (for mobiles, tablets, etc.); current strength per double USB connection: 1x max. 2.100 mA or 2x 1.050 mA. The USB charging station is only suitable for devices that are compatible with the above power level data. Connection cable between USB charging station and device is not supplied.	for 50 cm width	for 75 cm width	for 100 cm width	for 1/2 compartment of 125 cm width
		8525	8527	<div>Please state in your order in which drawer the USB charging station is to be fitted. If no details are given in the order, the USB charging station is fitted as standard in the top right drawer.</div>	
	CD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the CD holder is to be fitted	8425	8427	8428	8426
	DVD holder for drawers Please state in your order and drawing exactly in which 2 Raster drawer the DVD holder is to be fitted.	8325	8327	8328	8326

Wall shelves


List of versions: see page 341






Wall shelves 3.3 cm thick; 25.0 cm deep for fitting anywhere on walls LED light strips, possible from 75 cm width . Integrated power LED spotlamps, are also possible, see page 381 . Separate wall shelves with an LED light strip can not be fitted with a remote control or Magic-Tronic unit. Max. load: 15 kg	<div> This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V, 4.7-9.4 W </div> 					
		50 cm wide	75 cm wide	100 cm wide	125 cm wide	150 cm wide
without lamps		5025	7525	1025	1225	1525
with LED light strip			4,7 W 7526	6,7 W 1026	8,6 W 1226	2x 4,7 W 1526

Lower cover/intermediate shelves

Lower cover/intermediate shelves 3.3 cm thick; 40.0 cm or 47.0 cm deep As design and connecting units for open sections, as connecting shelf between 2 units or as bottom cover shelf of wall units.										
		50 cm wide	75 cm wide	100 cm wide	125 cm wide	150 cm wide	175 cm wide	200 cm wide	225 cm wide	250 cm wide
40,0 cm de profondeur		0504	0704	1004	1204	1504	1704	2004	2204	2504
47,0 cm de profondeur				1047	1247	1547	1747	2047	2247	2547

Plinth shelves


Plinth shelves 4.8 cm high (3.3 cm thick with 1.5 cm high plinth legs); 40.0 cm or 47.0 cm deep As (full-length) bottom cover shelf for units.										
		50 cm wide	75 cm wide	100 cm wide	125 cm wide	150 cm wide	175 cm wide	200 cm wide	225 cm wide	250 cm wide
40,0 cm de profondeur		5400	7400	10400	12400	15400	17400	20400	22400	25400
47,0 cm de profondeur		5700	7700	10700	12700	15700	17700	20700	22700	25700

	for 50 cm width	for 75 cm width	for 100 cm width	for 125 cm width	for 150 cm width
<div> behind wooden shelves</div> <div> under glass shelves</div> <div>LED light panel 1.9 cm thick, 3.0 cm deep; fitted behind wooden or under fitted glass shelves</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 3.5-5.5 W</div>	3.5 W	5.5 W			
	503	753			
<div></div> <div>LED light strip 1.0 cm thick, 1.1 cm deep; fitted in fitted wooden shelves</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 2.7-9.4 W</div>	2.7 W	4.7 W	6.7 W	8.6 W	2x 4.7 W
	502	752	102	122	152
<div></div> <div>Glass rim lamp LED light strip in aluminium profile, for fitting behind fitted glass shelves</div> <div>Later fitting not possible.</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 3.5-5.5 W</div>	3.5 W	5.5 W			
	501	751			
<div></div> <div>Integrated power LED spotlight for fitting in units</div> <div>This luminaire contains built-in LED lamps of the energy classes A++ to A. The lamps cannot be changed in the luminaire. 12 V; 2.9 W</div>	2.9 W				
	7941				

Magic-Tronic

<p>The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By “stroking” the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off (“Stroking method”). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit (“Marking method”). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.</p> <p>Please be sure to observe the information and notes regarding the assembly position given in the chapter “Switch options for lamps”!</p>		7617
---	--	-------------

Remote control unit with changing colours

<p>The lamps are normally operated by an external footswitch. The colour temperature of the LED lamps is cold white if a footswitch is used. A 4-channel remote control unit (= transmitter), which is charged extra, is also available as an alternative. Several lamps (up to a total load of a maximum 30 W per transformer and receiver) can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set from cold white (= the basic setting of the LED lamps) to warm white. If warm white is required, a radio remote control unit must be ordered. It is also possible to switch all channels on and off simultaneously with the “all on” or “all off” buttons. Up to 4 transmitters can operate as many receivers as required. Transmitters and receivers must be ordered separately. The footswitch is omitted when the remote control unit is used.</p> <p>Please be sure to observe the information and notes given in the chapter “Switch options for lamps”!</p>				
		Price per transmitter	Price per receiver	
		2016	2017	

Cylinder lock

List of versions: see page 341

Cylinder lock

For wooden doors: only possible on units marked with the symbol.



For wooden drawers: basically possible, but can only be fitted in the top wooden drawer where several wooden drawers are fitted on top of one another.

In the case of a twin-door unit, a cylinder lock is only possible in combination with a centre partition. The locking device used is compatible with hülsta-HOMEOFFICE units.

ZS

Hanging file unit

Hanging file unit

Only possible on units marked with the symbol.



Hanging file unit for fitting behind wooden doors and rear-lacquered glass doors. One fitted shelf can be removed.

HR1

DINING ROOMS Dining tables and chairs

DINING ROOMS

hülsta offers a room concept to meet all requirements in comfort, beauty of form and attractiveness with a comprehensive collection of dining room tables and chairs.

The **dining tables** in a wide variety of sizes (with and without pullout function) in all wood surface versions and in contemporary designs, as well as the **dining chairs** that can be combined individually using different armrests, comfort features, high-grade cover fabrics (leather, textiles) and metal surfaces can all be found – together with the dining room furniture offered by hülsta – in the separate “**DINING COLLECTION**” type list.




Coffee tables CT 110

Coffee tables CT 110

The **CT 110 coffee table** stands on a base plate made of stainless steel and a wooden plinth. The column is made of metal, anthracite powder-coated, while the top is in rear-lacquered glass. Three tables can also be adjusted in height using a manual device fitted under the glass top. The CT 110 is available in sizes of 70 x 70 cm, 90 x 90 cm and 120 x 70 cm.

You will find the CT 110 coffee table as well as other coffee tables in the separate “**Coffee tables**” chapter!



Coffee tables

Coffee tables

hülsta offers a comprehensive **collection of coffee tables**, which not only match the hülsta furniture ranges perfectly but can also be combined with other products that are available on the market. You will find these coffee tables in a number of designs, sizes and versions in the separate “**Coffee tables**” chapter.




Sketch raster for the TAMETA range

Please superimpose unlined paper and write firmly. In order to avoid paper slipping, use 2 paper clips or fold the edge of the drawing sheet.

Dims. in cm	Raster	
211,2	— 12	
176,0	— 10	
140,8	— 8	
105,6	— 6	
70,4	— 4	
35,2	— 2	
33 + 1,5		Plinth shelf

Scale 1 : 25

Base sketch



Important note! Please do not forget to include the following details with each order. This avoids time-consuming correspondence and unnecessary delays in delivery.

Version(s)	Model no.	Customer	Date	Commission
------------	-----------	----------	------	------------

Cable apertures


It is possible to provide the cover shelves, side sections, shelves, etc., in units from nearly all the hülsta living room ranges with cable apertures so it is easier to feed cables of electronic equipment through these units. There are four different types of cable apertures to choose from, as listed here.
Please be sure to follow the important notes on the next page!

Cable aperture K1

Cable aperture for 80 mm hole,
silver colour
Standard cable aperture
particularly suitable for cover shelves,
side sections and shelves

Dimensions:
Assembly height: 21 mm
Outside diameter: 92 mm
Inside diameter: 74 mm
Diameter of hole: 80 mm

Type K1




Cable aperture K2

Cable aperture for 80 mm hole,
silver colour
particularly suitable for rear walls
and side sections

Dimensions:
Assembly height: 8 mm
Outside diameter: 92 mm
Inside diameter: 74 mm
Diameter of hole: 80 mm

Type K2




Cable aperture K3

Cable aperture for 60 mm hole,
silver colour
particularly suitable for shelves and
constructional shelves (suitable to an
extent for scart cables)

Dimensions:
Assembly height: 21 mm
Outside diameter: 72 mm
Inside diameter: 54 mm
Diameter of hole: 60 mm

Type K3




Cable aperture K20

Cable aperture for 80 mm hole,
silver colour
particularly suitable for side-panels
and centre partitions

Dimensions:
Assembly height: 2x 8 mm
Outside diameter: 92 mm
Inside diameter: 74 mm
Diameter of hole: 80 mm

Type K20









The cable apertures are not possible for the **MULTI-VARIS** range!

Cable apertures

IMPORTANT NOTES Please be sure to note!
Please be sure to state the **exact position** of the cable aperture in your order (always measure distances from the centre of the cable aperture). For **wall units** the cable aperture is only possible in the bottom position (due to the suspension brackets). With **cover shelves**, the position of the cable aperture is determined in the factory, in accordance with factors specific to the given range. The same applies to technical exceptions because of custom-based planning. The K 20 is positioned in the centre (depthwise) in the **side-panel**. Please state the exact height (centre of hole of cable aperture from bottom rim of side-panel)! Subject to technical progress.
The **minimum distance** for the cable aperture (measured from the inside): 100 mm from the side and 70 mm from the rear (for horizontal surfaces) or 100 mm from the side and 70 mm from the base (for vertical surfaces). Please state if the aperture is to be fitted at the left, at the right or in the centre.
Standard position: If no details of the exact position of the cable aperture are given in your order, the cable aperture is always fitted at the bottom centre or at the rear centre of the relevant surface, whereby the distances stated above still apply.
Caution! Please note that the cable aperture can not be fitted where there is an integrated or front spotlight, centre partitions or a split rear wall.

Please be sure to observe the following explanatory diagrams!

for vertical surfaces	for horizontal surfaces
<p>Minimum distance 100 mm from the side and 70 mm from the base</p>  <p>The diagram shows a 2D cross-section of a vertical surface with a cable aperture. A horizontal line indicates 100 mm from the left side, and a vertical line indicates 70 mm from the bottom. A 3D perspective view below shows a rectangular panel with a cable aperture at the bottom-left corner, with dimensions 100 mm and 70 mm marked.</p>	<p>Minimum distance 100 mm from the side and 70 mm from the rear</p>  <p>The diagram shows a 2D cross-section of a horizontal surface with a cable aperture. A horizontal line indicates 100 mm from the left side, and a vertical line indicates 70 mm from the rear. A 3D perspective view below shows a rectangular shelf with a cable aperture at the rear-left corner, with dimensions 100 mm and 70 mm marked.</p>
<p>Standard position at the centre of the surface and 70 mm from the base</p>  <p>The diagram shows a 2D cross-section of a vertical surface with a cable aperture at the center. A horizontal line indicates 70 mm from the bottom. A 3D perspective view below shows a rectangular panel with a cable aperture at the bottom center, with a dimension of 70 mm marked.</p>	<p>Standard position at the centre of the surface and 70 mm from the rear</p>  <p>The diagram shows a 2D cross-section of a horizontal surface with a cable aperture at the center. A horizontal line indicates 70 mm from the rear. A 3D perspective view below shows a rectangular shelf with a cable aperture at the rear center, with a dimension of 70 mm marked.</p>
<p>Caution! If there is an integrated or front spotlight in a shelf, for example, the cable aperture cannot be fitted at this position!</p>  <p>The diagram shows a 3D perspective view of a shelf with a cable aperture. An arrow points to the aperture with the text 'Cable aperture not possible here!'.</p>	<p>Caution! If there is a centre partition, for example, between two shelves, the cable aperture cannot be fitted at this position!</p>  <p>The diagram shows a 3D perspective view of a shelf with a cable aperture. An arrow points to the aperture with the text 'Cable aperture not possible here!'.</p>

Switch options for lamps: Magic-Tronic

Magic-Tronic

The lamps are normally operated by an external footswitch. As an alternative we can also provide a Magic-Tronic switch, which is charged extra. By “stroking” the outer or top side of the unit at the same level as the invisible integrated sensor it is possible to switch all the lamps on and off (“Stroking method”). As an alternative the position of the hidden sensor can also be marked with a small metal plate on the furniture unit (“Marking method”). Lamps with a maximum power of 200 W can be operated by a Magic-Tronic unit (230 V). The footswitch is omitted when a Magic-Tronic unit is included.

Standard position of Magic-Tronic:

- for (assembly) units and wall units: **in the right outer side section**
- for side-panel combinations: **in the right outer side-panel**

Standard depth position:

- for (assembly) units, wall units and side-panels: **approx. 12 cm from the rear rim**

Standard height position:

- for all ranges (exception: SCOPIA range): for 1 to 8 Raster high floor (assembly) units and side-panels: **approx. 7-15 cm from the top rim of the appropriate unit**
- for the SCOPIA range: for 2 to 12 Raster high floor (assembly) units: **approx. 7-15 cm from the top rim of the appropriate unit**
- for all ranges (exception: SCOPIA range): for 10 to 12 Raster high floor (assembly) units and side-panels: **in approx. 115 cm height**
- for the SCOPIA range: for 16 to 18 Raster high floor (assembly) units: **in approx. 115 cm height**
- for wall units: **fitted at a height determined in the factory in accordance with factors specific to the given range.** The same applies to technical exceptions because of custom-based planning.
- for angled wooden shelves: fitted **in the right side of the rear wall panel in accordance with factors specific to the given range**

Alternative positions:

If the Magic-Tronic sensor is to be fitted in the **left outer side section** of an (assembly) unit or wall unit, in the **left outer side-panel**, in the **left side of the rear wall panel of angled wooden shelves** or **at any position other than that stated as standard** (e.g., if a unit is planned in a niche so that there is insufficient space to the right of the unit), **please state this clearly in the order and mark the position in the sketch. If in doubt, please contact your hülsta customer advisor!**

Please note:

- Double functions in one shelf like spotlamps, lamps, transformers, wall shelf brackets and Magic-Tronic units are not possible for reasons of stability and lack of space.
- In the case of TAMETA and NEO media panels, the unit is fitted 12 cm from the right side and from the bottom rim.




Illustration 1: “Stroking method”




Illustration 2: “Marking method”

Magic-Tronic

7617

Switch options for lamps: Magic-Tronic

Examples of use (schematic diagrams)


Example 1

Black point = Standard position of Magic-Tronic sensor for floor (assembly) units, wall units and angled wooden shelves

Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.

If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.



Example 2


Black point = Standard position of Magic-Tronic sensor for side-panels

Notes:

The black point in the drawings is the area where the Magic-Tronic sensor is invisibly integrated. If the surface is „stroked“ at this position, the lamps are switched on or off.

If you would like to mark the position of the Magic-Tronic sensor on the furniture, you can fit a small metal plate supplied separately at the corresponding position.

The Magic-Tronic unit can be operated from both sides of the side-panel, i.e. both from the outside as well as from the inside of the right side-panel - this means that the Magic-Tronic can even be operated when the furniture is fitted in a niche and there is insufficient space to the right of the unit. Please note here that no objects should be placed on the inside of the unit in order to be able to operate the Magic-Tronic from the inside.



Remote control unit with changing colours


The lamps are normally operated by an external footswitch. The colour temperature of the LED lamps is cold white if a footswitch is used. A 4-channel remote control unit (= transmitter), which is charged extra, is also available as an alternative. Several lamps (up to a total load of a maximum 30 W per transformer and receiver) can be operated with each of the 4 channels. All 4 channels can be dimmed separately at the push of a button. The colour temperature of all 4 channels can be set from cold white (= the basic setting of the LED lamps) to warm white. If warm white is required, a radio remote control unit must be ordered. It is also possible to switch all channels on and off simultaneously with the "all on" or "all off" buttons. Up to 4 transmitters can operate as many receivers as required. Transmitters and receivers must be ordered separately. The footswitch is omitted when the remote control unit is used.

The following points must be noted with the radio remote control unit:

- The receiver must be positioned behind a rear wall or under plinth shelves (at least 20 mm space required under plinth shelves).
- The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W.
- 4 channels = 4 light groups
- 1 light group = x lights
- All lamps within a light group can be dimmed to the same brightness.
- The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.
- The remote control unit is not suitable for equipment operating on 110 V!

Important notes:
The information on basic settings for the LED lamps as well as setting the colour temperature do not apply to the MEGA-DESIGN and MULTI-VARIS ranges!
Please be sure to note the operating and programming instructions!

4-channel remote control unit with changing colours



Light colour warmer

Light colour colder

Channel 1 to 4 (with dimmer function)

All off

All on

4-channel remote control unit with changing colours		
Price per transmitter	type	2016
Price per receiver	type	2017

Switch options for lamps: Remote control unit with changing colours

Examples of use (schematic diagrams)

Example 1

Lights inside a unit

Channel 1 operates (and dims) all the lights in light group 1, i.e. the spotlight in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the spotlamps in the unit above the TV bench


Channel 3 operates (and dims) all the lights in light group 3, i.e. the spotlight in the right cabinet

Required are:

1 transmitter	1x type	2016
1 receiver	1x type	2017

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Example 2

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the spotlight and the light panels in the left cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the light panels and the spotlamps in the centre cabinet


Channel 3 operates (and dims) all the lights in light group 3, i.e. the spotlight in the right cabinet

Required are:

1 transmitter	1x type	2016
3 receivers	3x type	2017

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



Example 3

Lights in units set apart

Channel 1 operates (and dims) all the lights in light group 1, i.e. the spotlamps in the left, centre and right cabinet

Channel 2 operates (and dims) all the lights in light group 2, i.e. the top light panels in the left, centre and right cabinet


Channel 3 operates (and dims) all the lights in light group 3, i.e. the bottom light panels in the left, centre and right cabinet

Required are:

1 transmitter	1x type	2016
3 receivers	3x type	2017

Notes:

The total wattage power of all lamps included per power supply unit/receiver must not exceed 30 W. The same light colour can be set for all lamps in all the light groups. This light colour is then valid for all the lamps.



SPECIAL WISHES? COME TO US!

Maximum individuality!

Maximal flexibility!

hülsta makes most of your special wishes possible.

High-quality furnishing is an expression of your individuality and personality.

hülsta has perfected this idea. We have developed some innovative production systems, which can fulfil more special wishes than ever before. And it makes no difference what range you are thinking of. We will try everything to put your ideas into practice.

There are already a lot of special products available for ordering from the hülsta type lists to make things as easy for you as possible.

And if you do have a wish which is not quite so easy to implement, just give us a call or send us a mail or a fax. We have our own hülsta "Special Wishes Team" who are there to help you realise just these customer requests.

These colleagues are professionals when it comes to special products. They plan and calculate the possible products for you and even develop an alternative suggestion if the idea should turn out to be technically impossible.

Here is an overview of the hülsta range of special wishes:

- A lot of special products can simply be ordered via the type lists
- Special products are planned simply and professionally
- Competent colleagues advise you by phone, by fax and by mail
- You will be sent alternative suggestions if the idea is technically impossible
- Many special products are available without a surcharge
- Specially qualified carpenters and technicians implement your plans perfectly

Something missing? Then simply contact us. Our "Special Wishes Team" can make almost anything possible. And if you should happen to present us with an impossible case – no problem. You will be sent a good alternative suggestion which is sure to work.

CONTACT US:

Tel.: +49 (0) 2563 / 86-0

Fax: +49 (0) 2563 / 86-1417

Mail: sonderwunsch@huelsta.com

Mon. - Sat.: 9.00 until 18.00

Special-sized products

FENA

Special products are possible on request. Please get in touch with your customer advisor.

GENTIS

Special products are possible on request. Please get in touch with your customer advisor.

MEGA-DESIGN

All special productions shown in this type list for MEGA-DESIGN are free of charge!

Height reductions (not possible on drawers):

Side-panel (below 2 m, incl. top rim)	99901
Carcase	99902
Rear wall	99906
Wood/lacquer door	99903

Width reductions:

Carcase (only possible on drawer and flap units, for lowboards on request)	99912
Hinge-door wood/lacquer	99913
Wall shelf (not below 36 cm, with spotlamps not below 75 cm)	99915
Wood/lacquer drawer (not below 25.0 cm)	99917
Rear wall	99920
Fitted glass shelf	999144
Bookbridge (not below 21.1 cm)	99940

Depth reductions (not possible on drawers):

Fitted shelf (not below 21.9 cm)	99934
Fitted glass shelf	999344
Side-panel (not below 21.9 cm)	99931

Side sloping:

Please observe the notes on making exact measurements on pages **473** as these are essential!

Side-panel	99944
------------	-------

Rear sloping:

Please observe the notes on making exact measurements on pages **473** as these are essential!

Side-panel	99956
------------	-------

Special-sized products are not possible for: rear-lacquered glass fronts, sliding-doors, angled (TV) panels, fittings and accessories, profiled shelves, tables.

More special products are possible.

Please get in touch with your customer advisor.

MULTI-VARIS

Height reductions (not possible on drawers):

Carcase wood/lacquer	99902
Carcase high-gloss	999021
Door wood/lacquer	99903
Door high-gloss	999031

More special products are possible.

Please get in touch with your customer advisor.

NEO

Height reductions:

Side-panel below 12 Raster (under 215.9 cm)	99901
---	-------

Width reductions:

Fitted wooden shelf	99914
Fitted glass shelf	999143
Wall shelf without lamp (not under 36 cm)	99915

Depth reductions:

Carcase (not under 36.2 cm)	99932
Fitted wooden shelf (for units)	999341
Fitted glass shelf (for units)	999344
Fitted wooden shelf (for side-panels)	99934
Fitted glass shelf (for side-panels)	999343
Side-panel	99931
Wooden cover shelf	99939
Glass cover shelf	999394

Special products are not possible for: media panels (with Sound System), media panel shelves, carcase fronts, carcasses including drawers with a hülsta-Push-to-open device, open compartments for carcase units, metal substructures, room dividers and coffee tables.

More special products are possible.

Please get in touch with your customer advisor.

NeXo

Special products are possible on request. Please get in touch with your customer advisor.

NURIA

Height reductions (not possible on drawers):

Carcase	99902
Wooden door	99903
Side-panel (below 2 m, incl. top rim)	99901
Niche rear wall	99906

Width reductions (not possible on drawers):

Carcase	99912
Wooden door	99913
Wooden flap	99918
Fitted wooden shelf (when ordering extra fitted shelves)	999141
Fitted glass shelf (when ordering extra fitted shelves)	999144
Cover shelf (with spotlamps not below 75 cm)	99919
Fitted shelf	99914
Niche rear wall	99920

Depth reductions (not possible on drawers and media lowboards):

Carcase	99932
Fitted wooden shelf	999341
Fitted glass shelf	999344
Cover shelf	99939
Fitted shelf (not below 21.9 cm)	99934
Side-panel (not below 21.9 cm)	99931
Cut-out section side-panel (for skirting boards, e.g.)	99966

Side sloping:

Please observe the notes on making exact measurements on pages **473** as these are essential!

Side-panel	99944
------------	-------

Rear sloping:

Please observe the notes on making exact measurements on pages **473** as these are essential!

Side-panel	99956
------------	-------

Special products are not possible for: glass fronts, profiled doors, fittings and accessories, profiled shelves, work surface.

More special products are possible. Please get in touch with your customer advisor.

Special-sized products

SCOPIA

Special products are possible on request. Please get in touch with your customer advisor.

TAMETA

Height reductions (not possible on drawers):
Carcase (units or bookcases) 99902
Wooden door 99903

Width reductions (not possible on drawers):
Carcase (units) 99912
Wooden door 99913
Drawer (not below 25 cm) 99917
Wooden flap 99918
Fitted wooden shelf (when ordering extra fitted shelves) 999141
Fitted glass shelf (when ordering extra fitted shelves) 999144
Wall shelf without lamps (not below 36 cm,
with spotlamps not below 75 cm) 99915
Plinth shelf 99916
Cover shelf (with spotlamps not below 75 cm) 99919

Depth reductions (not possible on drawers and media lowboards):
Carcase (units or bookcases) 99932
Fitted wooden shelf 999341
Fitted glass shelf 999344
Plinth shelf 99936
Cover shelf 99939

Side sloping:
Please observe the notes on making exact measurements on pages 473 as these are essential!
Carcase 99942
Door (single-door) 99943

Rear sloping:
Please observe the notes on making exact measurements on pages 473 as these are essential!
Carcase 99952

Special products are not possible for: glass and mirror units, fittings and accessories, sideboards and media lowboards, wall units, coffee tables, dining tables and sliding-doors.

Special-sized products for special combinations
Pricing: recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see above)

More special products are possible.
Please get in touch with your customer advisor.

VEDUA

Special products are possible on request. Please get in touch with your customer advisor.

XELO

Height reductions:
Carcase 99902
Door (not below 52.4 cm) 999031
Media panel 99900

Width reductions:
Carcase (with cover shelf in wood) 99912
Carcase (with cover shelf in glass) 999124
Door (not below 34.7 cm) 999131
Drawer (not below 25 cm) 999171
Flap (not below 34.7 cm) 99918
Fitted shelf (not below 27 cm) 99914
Fitted glass shelf (when ordering extra fitted shelves) 999144
Wall shelf (not below 36 cm,
with spotlamps not below 75 cm) 99915
Carcase of wall unit (only with wooden/lacquer front;
(not below 34.7 cm) 999121
Media panel 99925

Depth reductions:
Carcase (with cover shelf in wood;
not below 34.8 cm) 99932
Carcase (with cover shelf in glass;
not below 34.8 cm) 999324
Fitted shelf 99934
Fitted glass shelf (when ordering extra fitted shelves) 999344

Special products are not possible for: lowboards, sideboards, single units with synchronous sliding-doors, coffee tables, tables.

Special-sized products for special combinations:
Pricing: recommended retail price of the special combination + 5% plus the recommended retail prices of all the required special-sized products (see above)

More special products are possible.
Please get in touch with your customer advisor.

Special-sized products

Special articles

Cover panels

for side and top panelling of fitted wardrobes
(support construction and fitting materials must be acquired on site).

Basic price per order	9901
+ price per m2 lacquer or veneer	990

Veneer match with fronts can not be guaranteed.

Rim veneer

superimposed ex works or rims lacquered
for veneer and lacquer versions per m. length

9902

Sizes:

Range	max. length	max. width
FENA	—	—
GENTIS	—	—
MEGA-DESIGN	207.0 cm	34.7 cm
NEO	205.0 cm	40.0 cm
NeXo	205.0 cm	40.0 cm
NURIA	205.0 cm	40.0 cm
SCOPIA	229.5 cm	40.3 cm
TAMETA	227.0 cm	47.0 cm
VEDUA	210.0 cm	33.0 cm
XELO	258.0 cm	40.0 cm

High-gloss care set

Polish, polishing sponge and polishing cloth
(incl. instructions) for protecting and maintaining
the high-gloss surfaces

36

Special colours; Blue Angel / Emissions label of DGM

Special colours

All the hülsta lacquer colours are possible for nearly all the hülsta ranges. Availability and prices on request.

Note on „Blue Angel“ (RAL-UZ 38) and Emissions label of DGM (Class A)

It is possible that the requirements of the „Blue Angel“ and the DGM Emissions Label cannot be met by some of the lacquer colours in price groups II and III (see here the different lacquer versions in the NURIA range), depending on the colour mix (surface ratio of these colours in the corresponding order). However, the legal requirements are definitely met in all cases!

Notes on calculating sizes of sloping units

Side sloping


Sloping is only possible on single-door units. The door hinge (left or right) is positioned on the taller outer side of the unit.

Measurements required:

- H 1 = Room height
- H 2 = Height of slope
(If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- B 1 = Width of slope
- B 2 = Width of slope
- G = Total width
- S = Wardrobe width

Please note!


As floors, ceilings and walls are never exactly straight, the exact room size must be measured using a spirit level.



Rear sloping

Measurements required:

- H 1 = Room height
- H 2 = Height of slope
(If a space is required between the wall and the wardrobe/unit, please state the exact distance.)
- T 1 = Depth of slope
- T 2 = Depth of slope



Wall composition / assembly instruction

Important notes:
The composition of walls must be ascertained before concluding a contract and be checked by a qualified fitter before assembly takes place.









Assembly may only be carried out by a qualified fitter under careful observation of the assembly instructions.

The plastic Rawl plugs with the type name SX 8 x 65 from the Fischer Company supplied by hülsta as a standard set are only suitable for concrete \geq C12/15, if the wall composition and compression strength corresponds to the table below. Under no circumstances must a unit be assembled on light masonry.

Furthermore, we provide a mounting set with assembly mortar from the Fischer Company for the types of walls listed below (see assembly mortar set below). Again, assembly must be carried out by a qualified fitter under careful observation of the wall composition and assembly instruction. The compression strength levels stated below must be met under all circumstances.

Materials table

with a description of which sets are to be used with the following types of walls:

Standard set (SX 8 x 65)	Assembly mortar set only suitable for the materials stated below!			
<div>Concrete C12/15</div> <div>Compression strength \geq 15 N/mm²</div> <div></div>		Building bricks Mz 12 Compression strength \geq 12 N/mm ²		Solid blocks of light concrete V2 Compression strength \geq 2 N/mm ²
		Limestone blocks KS 12 Compression strength \geq 12 N/mm ²		Perforated blocks of light concrete Hbl 2 Compression strength \geq 2 N/mm ²
		Perforated sand lime bricks KSL12 Compression strength \geq 12 N/mm ²		Aerated concrete PP2 Compression strength \geq 2 N/mm ²
		Vertically perforated bricks HLz 12 Compression strength \geq 12 N/mm ² Bulk density \geq 1.0 kg/dm ³		

A different and more suitable type of mounting must be chosen by a qualified fitter in all other cases. hülsta cannot accept any responsibility for the choice of any other types of mounting!

Please note that if the units are not mounted properly on the wall, there is a risk of the units falling down or tipping over – especially when alternative mounting materials acquired on site have been used.

Generally speaking, you as a dealer/qualified fitter are responsible for the correct wall mounting of the units.



Mounting sets

Labelling in type list drawings / assembly notes for wall units The majority of units have two wall mounting points (= number of support boards), if these are to be fitted as wall units. This is not explicitly mentioned in the type list. If a different number of wall mounting points (= support boards) is required, this is marked in the drawings in the type list with numbers in black boxes. Every support board requires four mounting screws.		
<div><div>3</div> = 3 support boards</div> <div><div>4</div> = 4 support boards, etc.</div>		
One assembly mortar set is sufficient for up to a maximum of 3 support boards or 4 wall side-panels.		
Important note: Depending on the composition of the wall (see wall types illustrated above), assembly must be carried out using the special assembly mortar set and a standard trade mastic tool which are the basic essentials for safe and clean workmanship.		
Standard set The standard set consists of 4 plastic Rawl plugs (SX 8 x 65) and 4 mounting screws and is sufficient for 1 support board. The standard sets are included in the packet of fittings to match the number of support boards.		
Assembly mortar set for up to a maximum of 3 support boards consisting of: 9x injection retaining sleeve 9x screw-in sleeve 1x injection cartridge 2x static mixer 1x assembly instructions Please use the mounting screws from the standard set (supplied free of charge).	Example of order: <ul style="list-style-type: none">• Add up number of support boards for all existing unit types• Divide the sum by “3”• Round up the result to a full number = Number of assembly mortar sets required	M2