

LEM

design Shin & Tomoko Azumi
2000



An iconic stool. The lines of its closed, perfect form delineate the minimum indispensable volume, achieving a measured and timeless elegance. An entire family of Lem stools featuring a range of bright colours, and a variety of textures and materials has now been developed on the basis of the initial concept. A versatile Lapalma classic for the contract segment, used widely for a broad range of requirements.



LEM







LEM

LEM

design Shin & Tomoko Azumi
2000




Restaurant & Bar
Design Awards



interior innovation award cologne

Stool with fixed or adjustable height with swivel seat. Frame of mat chromed steel, with base covered by a stainless steel sheet with "linen fabric" pattern or entirely white or black powder coated. Also available in black chrome. Seat in several finishes. LEM is also available with "swing-back system" for the seat and floor-fixing base Ø 20 cm. especially suitable for catering and high frequency areas.



test

EN 68 877/81 5,6

frame		seat			
	mat chromed		blanched beech		black lacquered
	shiny black chromed		blanched oak		stainless steel
	powder coated: white		oak stained dark-walnut		Corian white Glacier
	powder coated: black		Canaletto walnut		leather / soft leather
			black open pore		fabric: Hallingdal 65 18 colors
			white lacquered		fabric: Remix 2 12 colors
					fabric: Steelcut 10 colors
					fabric: Divina 9 colors
					fabric: Esedra 6 colors
					fabric: Cava 14 colors
					laminate
					concrete

consult the portfolio for the range of colors, fabrics, soft-leather.

use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spill on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 45°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.